



# Highlights

- Position LCD screens for maximum ergonomic comfort—promotes wellness in any work area
- Small footprint frees up your workspace and increases your efficiency
- Integrated base rollers enable 360° rotation of the stand so you can share your views with others
- Embedded with patented motion technology, this stand enables light touch adjustments without any knobs or levers



- Five-inch (13 cm) height adjustment ergonomically accommodates average range of users
- Easy to use—simple installation and effortless operation
- Everything is included to neatly route cables behind the stand, out of the way

# **Ergotron**<sup>®</sup>

# Neo-Flex<sup>™</sup> Lift Stands



# Combo Lift Stand, Combo Workbase

Simply combine your notebook with an LCD display and separate keyboard and mouse to create a productive dual-display configuration. Save time by viewing multiple applications at once—eliminate toggling back and forth on a single screen. With this stand's height adjustment, tilt and rotation, you'll get desktop computing comfort combined with the portability of a laptop.

### **Dual LCD Lift Stand**

Affordable, height-adjustable dual-monitor stand for maximum productivity and comfort. Save time by using multiple applications at once—eliminate toggling back and forth between documents and programs. Simultaneously lift LCD screens to proper height for unsurpassed ergonomic comfort.

#### Widescreen Lift Stand

Upgrade your widescreen display with five-inch (13 cm) height adjustment, tilt, pan, and portrait-to-landscape rotation for optimum viewing. Embedded with patented motion technology, this stand enables light-touch adjustments without any knobs or levers.

### All-In-One Lift Stand

Add ergonomic adjustability, portability and save space with this unique all-in-one stand. The perfect accessory for space-constrained areas, it enables you to mount both a CPU and display while providing effortless height adjustment of the monitor.



e-05-074-EA www.ergotron.com © 2009 Ergotron, Inc. All rights reserved Patented Constant Force (CF) lift-and-pivot motion technology—no levers or buttons

Five-inch (13 cm) height adjustment ergonomically accommodates average range of users

Portrait to landscape screen rotation

Pans 360° side-to-side at base

VESA<sup>®</sup> compliant

Five-year warranty on stands, WorkBase keyboard/mouse warranted by original manufacturer (limited lifetime)

Neo-Flex Combo WorkBa	nd — 33-331-057 two-tone grey ISE — 33-336-057 two-tone grey (North America)	33-331-057 Lift Stand includes: stand, laptop platform, one sliding monitor bracket, manual, VESA-monitor mounting kit, cable ties, Velcro kit, clips, non-slip pad	
	<ul> <li>Meets tip test requirements of UL Specification 1678</li> <li>Monitor: 30° up/down tilt 8° inward offset angle for optimum parabolic viewing</li> <li>Flexible design enables notebook to be configured on either the right or left side</li> <li>Fits most large and small notebooks, with or without docking station</li> <li>Weight capacity (total) 12–28 lbs (5.4–13.6 kg) Lift Stand: wireless keyboard and mouse sold separately 97-467 WorkBase: includes wireless keyboard and mouse</li> </ul>	33-336-057 WorkBase includes: stand, laptop platform, one sliding monitor bracket, manual, VESA-monitor mounting kit, cable ties, Velcro kit, clips, non-slip pad, wireless keyboard and mouse, 2.4 GHz RF USB receiver, CD with installation software, 4 AAA batteries. Compatible with Windows 2000/XP/Vista® Shipping dimensions: Lift Stand 24.4" x 16.8" x 8.8" (620 x 426 x 224 mm); WorkBase 16.75" x 24.5" x 11" (42.5 x 62.2 x 27.9 cm) Shipping weight: Lift Stand 23 lbs (10.4 kg); WorkBase 25 lbs (11.3 kg) Weight capacity: total 12–28 lbs (5.4–12.7 kg); notebook 6–12 lbs (2.7–5.4 kg); monitor 6–16 lbs (2.7–7.2 kg) Compatible displays: almost any notebook computer, with or without port replicator, and VESA-compatible displays (up to 20" screen size)	
Neo-Flex Dual LCD Lift S	tand — 33-330-057 two-tone grey	Includes: base, crossbar, two (2) sliding monitor brackets, manual, adapter for monitors with recessed VESA mount	
	<ul> <li>Meets tip test requirements of UL Specification 1678</li> <li>Install displays at 3.5° or 8.5° upward angle for optimized viewing conditions</li> <li>Monitors are installed with 8° inward offset angle, creating a view parabola for better sight lines</li> <li>Accommodates various LCD sizes; slide displays into place so screen edges align</li> <li>Weight capacity (total) 34 lbs (15.4 kg); monitors must be equal in weight ± 1 lbs (0.45 kg)</li> </ul>	<ul> <li>Shipping dimensions: 24.4" x 16.8" x 8.8" (620 x 426 x 224 mm)</li> <li>Shipping weight: 18.3 lbs (8.3 kg)</li> <li>Weight capacity: total 14–34 lbs (6.4–15.4 kg), maximum LCD outside width is 22" (55 cm)</li> <li>Compatible displays: up to 22" screen size; VESA FDMI, MIS-D, 75/100, C (hole pattern: 100 x 100 mm &amp; 75 x 75 mm)</li> </ul>	
Neo-Flex Widescreen Lift	Stand — 33-329-057 two-tone grey	Includes: stand, cable zip-ties, VESA monitor mounting screws and adapter for monitors with recessed VESA mounts	
F	<ul> <li>Meets tip test requirements of UL Specification 1678</li> <li>30° monitor up/down tilt</li> <li>Weight capacity 16–36 lbs (7.2–16.3 kg)</li> </ul>	Shipping dimensions: 23.1" x 12.9" x 7.5" (587 x 327 x 190 mm) Shipping weight: 16.5 lbs (7.5 kg) Weight capacity: 16–36 lbs (7.2–16.3 kg) Compatible displays: most 20–32" displays; VESA FDMI, MIS-D, 75/100, C (hole pattern = 100 x 100 mm & 75 x 75 mm); VESA FDMI, MIS-E, C (hole pattern = 200 x 100 mm); VESA FDMI, MIS-F, C (hole pattern = 200 x 200 mm ONLY)	
Neo-Flex All-In-One Lift Stand — 33-326-055 two-tone grey (EMEA) 33-326-085 black (Americas, APAC)		33-326-055 includes: stand, CPU strap, manual, VESA monitor	
Neo-Flex All-In-One Lift S		mounting kit, cable ties 33-326-085 includes: stand, CPU strap, buckle cover, manual,	

© 2009 Ergotron, Inc. rev. 06/02/2009 e-05-074-EA Content is subject to change without notification

Americas Sales and Corporate Headquarters	EMEA Sales	APAC Sales	Worldwide OEM Sales	
St. Paul, MN USA (800) 888-8458 +1-651-681-7600 www.ergotron.com sales@ergotron.com	Amersfoort, The Netherlands +31 33 45 45 600 www.ergotron.com info.eu@ergotron.com	Tokyo, Japan www.ergotron.com info.apac@ergotron.com	www.ergotron.com info.oem@ergotron.com	JE

