

## Power Your Digital World



Zip40



Wall Mounts



YES Carts

Our device charging systems safely power and secure technology for education, healthcare, office environments and more to keep smart devices charged and easily accessible. It's all about protecting your investment and protecting you. Explore Ergotron's broad portfolio of charging solutions for mobile devices, including tablets, Chromebooks, laptops, and more. We'll help you find the right cart, wall mount, or cabinet to fit your devices, space and workflow to move you forward.

### THE ERGOTRON ADVANTAGE

Universal design to fit tablets, Chromebooks, laptops and more

Separate locking IT area to keep technology secure

Durable, solid construction with locking doors

UL / IEC 60950 or 62368

Managed and unmanaged versions to fit your needs (Zip40)

Fast charging times with PowerShuttle



#### PowerShuttle



Our charging solutions feature Ergotron's patented power management system, PowerShuttle, to efficiently charge devices up to 40% faster than standard round-robin designs.
















#### Charging Systems Finder

Find the right charging cart or cabinet for your device:  
[charging.ergotron.com/finder](https://charging.ergotron.com/finder)



											
	Zip12 Charging Wall Cabinet	Zip12 Charging Desktop Cabinet	Zip40 Charging Cart	Zip40 Charging & Management Cart	Zip40 Charging & Management Cart	YES Basic Charging Cart	YES24 Adjusta™ Charging Cart	YES30 Basic Laptop & Chromebook Charging Cart	YES36 Charging Cart for Mini-Laptops	YES36 Adjusta™ Charging Cart	YES36 Charging Cart
US/CA/MX	DM12-1006-1	DM12-1012-1	DM40-2009-1	DM40-1008-1	DM40-2008-1	YESBASGMPW4	YES24-CHR-1		YESMOR2GMPW4	YES36-CHR-1	
EU	DM12-1006-2	DM12-1012-2	DM40-2009-2	DM40-1008-2	DM40-2008-2						YESMOR36-2
UK/IE	DM12-1006-3	DM12-1012-3	DM40-2009-3	DM40-1008-3	DM40-2008-3						YESMOR36-3
HK/MY/SG	DM12-1006-3	DM12-1012-3	DM40-2009-3		DM40-2008-3			YES30-LTPCHR-3			
AU/NZ	DM12-1006-4	DM12-1012-4	DM40-2009-4		DM40-2008-4			YES30-LTPCHR-4			
CN	DM12-1006-5	DM12-1012-5	DM40-2009-5		DM40-2008-5			YES30-LTPCHR-5			
JP		DM12-1012-6	DM40-2009-6		DM40-2008-6						
Screen Size	≤ 12"	≤ 14"	≤ 15.6"	≤ 15.6"	≤ 15.6"	≤ 14"	≤ 14"	≤ 14"	≤ 14"	≤ 14"	≤ 14"
# of Devices	12	8 – 12	30 – 40	30 – 40	30 – 40	30 – 36	15 – 24	30	30 – 36	30 – 36	36
Slot Size	1.0"w (2.5 cm) —— 11.9"d (30.2 cm) —— 8.9"h (22.6 cm)	1.9" – 1.1"w (4.8 – 2.7 cm) adjustable bays —— 15.3"d (38.9 cm) —— 9.7"h (24.6 cm)	1.9" – 1.1"w (4.8 – 2.7 cm) adjustable bays —— 17.1"d (43.4 cm) —— 11.2"h (28.4 cm)	1.9" – 1.1"w (4.8 – 2.7 cm) adjustable bays —— 17.1"d (43.4 cm) —— 11.2"h (28.4 cm)	1.9" – 1.1"w (4.8 – 2.7 cm) adjustable bays —— 17.1"d (43.4 cm) —— 11.2"h (28.4 cm)	1.25" – 1.1"w (3.17 – 2.7 cm) adjustable bays —— 15.5"d (39.4 cm) —— 10"h (25.4 cm)	1.9" – 1.45"w (4.8 – 3.7 cm) adjustable bays —— 14.25"d (36.1 cm) —— 10"h (25.4 cm)	1.25" – 1.1"w (3.17 – 2.7 cm) adjustable bays —— 15.5"d (39.4 cm) —— 10"h (25.4 cm)	1.6" – 1.25"w (4 – 3.1 cm) adjustable bays —— 14.25"d (36.1 cm) —— 10"h (25.4 cm)	1.6" – 1.25"w (4 – 3.1 cm) adjustable bays —— 14.25"d (36.1 cm) —— 10"h (25.4 cm)	1.6" – 1.25"w (4 – 3.1 cm) adjustable bays —— 14.25"d (36.1 cm) —— 10"h (25.4 cm)
Unit Size	26.4"w (67 cm) —— 5.9"d (15 cm) —— 35.6"h (91 cm)	22"w (56 cm) —— 24.5"d (62 cm) —— 14"h (35.6 cm)	30.3"w (77 cm) —— 26.1"d (66 cm) —— 45.4"h (115 cm)	30.3"w (77 cm) —— 26.1"d (66 cm) —— 45.4"h (115 cm)	30.3"w (77 cm) —— 26.1"d (66 cm) —— 45.4"h (115 cm)	23.17"w (58.85 cm) —— 23.38"d (59.38 cm) —— 41.57"h (105.58 cm)	24.25"w (70 cm) —— 27.75"d (62 cm) —— 42"h (107 cm)	23.17"w (58,85 cm) —— 23.38"d (59,38 cm) —— 41.5"h (105 cm)	28.75"w (73 cm) —— 25"d (63.5 cm) —— 41.5"h (105.4 cm)	28.75"w (73 cm) —— 25"d (63.5 cm) —— 41.5"h (105.4 cm)	24"w (61 cm) —— 40"d (101.6 cm) —— 38.7"h (101.6 cm)
Power System	Power Strip	PowerShuttle	PowerShuttle	PowerShuttle	PowerShuttle	Power Timer	PowerShuttle	Power Timer	PowerShuttle	PowerShuttle	PowerShuttle
Pre-cabled?	No	No	No	Ethernet CAT6 for laptop management	Ethernet CAT6 for laptop management	No	No	No	No	No	No
Warranty	Lifetime mechanical —— 3 years electrical —— 1 year cables	Lifetime mechanical —— 3 years electrical —— 1 year cables	Lifetime mechanical —— 3 years electrical —— 1 year cables	Lifetime mechanical —— 3 years electrical —— 1 year cables	Lifetime mechanical —— 3 years electrical —— 1 year cables	Lifetime mechanical —— 3 years electrical —— 1 year cables	Lifetime mechanical —— 3 years electrical —— 1 year cables	Lifetime mechanical —— 3 years electrical —— 1 year cables	Lifetime mechanical —— 3 years electrical —— 1 year cables	Lifetime mechanical —— 3 years electrical —— 1 year cables	Lifetime mechanical —— 3 years electrical —— 1 year cables
						TAA Compliant —— Built with Anthro-DNA	Built with Anthro-DNA	Built with Anthro-DNA	TAA Compliant model available —— Built with Anthro-DNA	TAA Compliant model available —— Built with Anthro-DNA	Built with Anthro-DNA



													
	Tablet Management Wall Mount 10 Lightning	Tablet Management Desktop 16 ISI / no cabling	Tablet Management Cart 32 ISI / Lightning	Tablet Management Cart 32 ISI / no cabling	Tablet Management Cart 48 ISI / Lightning	Tablet Management Cart 48 ISI / no cabling	Zip12 Charging Wall Cabinet	Zip12 Charging Desktop Cabinet	Zip40 Charging Cart	Zip40 Charging & Management Cart	Zip40 Charging & Management Cart	YES Basic Charging Cart	YES40/35 Tablet Charging Cart
US/CA/MX			DM32-1004-1				DM12-1006-1	DM12-1012-1	DM40-2009-1	DM40-1008-1	DM40-2008-1	YESBASGMPW4	YES40-TAB-1
EU			DM32-1004-2				DM12-1006-2	DM12-1012-2	DM40-2009-2	DM40-1008-2	DM40-2008-2		YES35-TAB-2
UK/IE			DM16-1024-3				DM12-1006-3	DM12-1012-3	DM40-2009-3	DM40-1008-3	DM40-2008-3		YES35-TAB-3
HK/MY/SG	DM10-1007-3					DM12-1006-3	DM12-1012-3	DM40-2009-3		DM40-2008-3			
AU/NZ	DM16-1024-4					DM12-1006-4	DM12-1012-4	DM40-2009-4		DM40-2008-4			
CN	DM16-1024-5					DM12-1006-5	DM12-1012-5	DM40-2009-5		DM40-2008-5			
JP						DM48-1024-6		DM40-2009-6		DM40-2008-6			
Screen Size	≤ 10.5"	≤ 10.5"	≤ 10.5"	≤ 10.5"	≤ 10.5"	≤ 10.5"	≤ 12"	≤ 14"	≤ 15.6"	≤ 15.6"	≤ 15.6"	≤ 14"	≤ 10"
# of Devices	10	16	32	32	48	48	12	8 – 12	30 – 40	30 – 40	30 – 40	30 – 36	32 – 40
Slot Size	0.9"w (2.3 cm)	0.85"w (2.2 cm)	0.85"w (2.2 cm)	0.85"w (2.2 cm)	0.85"w (2.2 cm)	0.85"w (2.2 cm)	1.0"w (2.5 cm)	1.9" – 1.1"w (4.8 – 2.7 cm) adjustable bays	1.9" – 1.1"w (4.8 – 2.7 cm) adjustable bays	1.9" – 1.1"w (4.8 – 2.7 cm) adjustable bays	1.9" – 1.1"w (4.8 x 2.7 cm) adjustable bays	1.25" – 1.1"w (3.17 – 2.7 cm) adjustable bays	0.87" – 1.25"w (2 – 3 cm) adjustable bays
	10.9"d (27.7 cm)	11.3"d (28.8 cm)	11.3"d (28.8 cm)	11.3"d (28.8 cm)	11.3"d (28.8 cm)	11.3"d (28.8 cm)	11.9"d (30.2 cm)	15.3"d (38.9 cm)	17.1"d (43.4 cm)	17.1"d (43.4 cm)	17.1"d (43.4 cm)	15.5"d (39.4 cm)	10.5"d (26.6 cm)
	7.9"h (20.1 cm)	7.9"h (20 cm)	7.9"h (20 cm)	7.9"h (20 cm)	7.9"h (20 cm)	7.9"h (20 cm)	8.9"h (22.6 cm)	9.7"h (24.6 cm)	11.2"h (28.4 cm)	11.2"h (28.4 cm)	11.2"h (28.4 cm)	10"h (25.4 cm)	8"h (20.3 cm)
Unit Size	23.2"w (59 cm)	18.3"w (46.5 cm)	23"w (58.4 cm)	23"w (58.4 cm)	23"w (58.4 cm)	23"w (58.4 cm)	26.4"w (67 cm)	22"w (56 cm)	30.3"w (77 cm)	30.3"w (77 cm)	30.3"w (77 cm)	23.17"w (58.85 cm)	24.5"w (62 cm)
	4.0"d (80.9 cm)	16.2"d (41.1 cm)	18.4"d (46.7 cm)	18.4"d (46.7 cm)	18.4"d (46.7 cm)	18.4"d (46.7 cm)	5.9"d (15 cm)	24.5"d (62 cm)	26.1"d (66 cm)	26.1"d (66 cm)	26.1"d (66 cm)	23.38"d (59.38 cm)	23.75"d (60 cm)
	31.8"h (10.2 cm)	10.4"h (26.4 cm)	39.3"h (100 cm)	39.3"h (100 cm)	39.3"h (100 cm)	39.3"h (100 cm)	35.6"h (91 cm)	14"h (35.6 cm)	45.4"h (115 cm)	45.4"h (115 cm)	45.4"h (115 cm)	41.57"h (105.58 cm)	46"h (117 cm)
Power System	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Apple iOS 2.4A	Power Strip	PowerShuttle	PowerShuttle	PowerShuttle	PowerShuttle	Power Timer	PowerShuttle
Pre-cabled?	No	No	No	Ethernet CAT6 for laptop management		Ethernet CAT6 for laptop management	No	No	No	Ethernet CAT6 for laptop management	Ethernet CAT6 for laptop management	No	No
Warranty	5 years — 2 years power module — 1 year other electrical components	5 years — 2 years power module — 1 year other electrical components	5 years — 2 years power module — 1 year other electrical components	5 years — 2 years power module — 1 year other electrical components	5 years — 2 years power module — 1 year other electrical components	5 years — 2 years power module — 1 year other electrical components	Lifetime mechanical — 3 years electrical — 1 year cables	Lifetime mechanical — 3 years electrical — 1 year cables	Lifetime mechanical — 3 years electrical — 1 year cables	Lifetime mechanical — 3 years electrical — 1 year cables	Lifetime mechanical — 3 years electrical — 1 year cables	Lifetime mechanical — 3 years electrical — 1 year cables	Lifetime mechanical — 3 years electrical — 1 year cables

All Ergotron Tablet Solutions are UL 60950 certified.

Download additional resources at [ergotron.com](http://ergotron.com).  
For more information:  
NORTH AMERICA: 800.888.8458 / +1.651.681.7600 / [sales@ergotron.com](mailto:sales@ergotron.com)  
EMEA: +31.33.45.45.600 / [info.eu@ergotron.com](mailto:info.eu@ergotron.com)  
APAC: [apaccustomerservice@ergotron.com](mailto:apaccustomerservice@ergotron.com)  
OEM: [info@oem.ergotron.com](mailto:info@oem.ergotron.com)

© Ergotron, Inc. 09.12.2019  
Literature made in the U.S.A.  
Content subject to change.  
Ergotron devices are not intended to cure, treat, mitigate or prevent any disease.  
Patent information available at [www.ergotron.com/patents](http://www.ergotron.com/patents).

