

CONFORM

MONITOR ARMS

Workrite
ergonomics®



The Conform Series, is the most ergonomic, flexible, and easy-to-install monitor system that we've ever created.

The Conform Series, available in silver and black, features a variety of articulating and static arms, mounts, and accessories, making it an extremely versatile product that can accommodate virtually any design application or monitor configuration.

“The core of the **Conform Series** is the pin connection system, which enables arms to be **interchanged** and attached to a *variety of base options* and **accessories**.”

This allows a single desk-mounted monitor system to easily become a dual arm system, or a desk-mounted system to become a toolbar mounted system, or a wall mounted system to become a post mounted system. As your needs change, Conform can easily change with you.



ARTICULATING ARM SERIES

Features

Smooth monitor movement with pneumatic lift

Precision bushings and vertical linkage system allows users to position monitors to ideal focal distance and angle

Designed for easy installation, components ship pre-assembled and are simple to configure

Easily reconfigurable from single, to dual, or triple-monitor setups

Engineered and tested to support 12,000 cycles; exceeds American National Standards Institute (ANSI)/Business and Institutional Furniture Manufacturers Association (BIFMA) x5.5

Trade Agreements Act (TAA) Compliant, backed by a 10 year warranty



Conform Heavy Duty Articulating Arm

CONF-1HDA-BSE-CCG-X
CONF-1HDA-BSE-TPCCG-X

- Supports: 17–40 lb
- Maximum reach: 22.5"
- Stowed depth: 5.25"
- Vertical range: 13.5"
- Integrated wire management: Yes
- VESA Mount compatible: Yes (75 mm & 100 mm)
- Interchangeable parts: Yes
- Includes optional pivot limiter which prevents arm from rotation more than 180°
- Colors: S: Silver, B: Black

*Monitor shown with Apple® VESA plate

Conform Articulating Arm

CONF-1SDA-BSE-CCG-X
CONF-1SDA-BSE-TPCCG-X

- Supports: 5–17 lb
- Maximum reach: 22.5"
- Stowed depth: 5.25"
- Vertical range: 13"
- Integrated wire management: Yes
- VESA Mount compatible: Yes (75 mm & 100 mm)
- Interchangeable parts: Yes
- Includes optional pivot limiter which prevents arm from rotation more than 180°
- Colors: S: Silver, B: Black



Conform Dual Articulating Arm

CONF-2SDA-BSE-CCG-X
CONF-2SDA-BSE-TPCCG-X

- Supports two monitors: 5–17 lb ea.
- Maximum monitor width (measured horizontally): 34" when arms are in their fully stowed position
- Maximum reach: 15.375"
- Stowed depth: 5.5"
- Vertical range: 13"
- Integrated wire management: Yes
- VESA Mount compatible: Yes (75 mm & 100 mm)
- Interchangeable parts: Yes
- Includes optional pivot limiter which prevents arm from rotation more than 180°
- Colors: S: Silver, B: Black



STATIC ARM SERIES

CONFORM

Features

Ideal solution for supporting monitors on desks with shallow workspaces

Designed to support a wide array of configurations, from one to six monitors

Interchangeable parts allow Conform monitor arms to be reconfigured as users' needs change

Engineered and tested to support 15,000 cycles, exceeds American National Standards Institute (ANSI)/Business and Institutional Furniture Manufacturers Association (BIFMA) x5.5

Trade Agreements Act (TAA) Compliant, backed by a 10 year warranty



Conform Dual Static Arms

CONF-2SDS-PB-14CCG-X

- Supports: Up to two 16 lb monitors
- Maximum monitor width (measured horizontally): 24.5" when arms are in their fully stowed position
- Maximum reach: 4.5" (with 24" monitors, additional reach for monitors less than 24")
- Stowed depth: 4.5"
- Integrated wire management: Yes
- VESA Mount compatible: Yes (75 mm & 100 mm)
- Interchangeable parts: Yes
- Includes optional pivot limiter which prevents arm from rotation more than 180°
- Colors: S: Silver, B: Black

Conform Single Static Arm

CONF-1SDS-PB-14CCG-X

- Supports: 16 lb
- Maximum reach: 24.5"
- Stowed depth: 6.5"
- Integrated wire management: Yes
- VESA Mount compatible: Yes (75 mm & 100 mm)
- Interchangeable parts: Yes
- Includes optional pivot limiter which prevents arm from rotation more than 180°
- Colors: S: Silver, B: Black



Conform Triple Static Arms

CONF-3SDS-PB-14CCG-X

- Supports: Up to three 16 lb monitors
- Maximum monitor width (measured horizontally): 22.75" when arms are in their fully stowed position
- Maximum reach: 6.5" (with 22" monitors, additional reach for monitors less than 22")
- Stowed depth: 6.5"
- Integrated wire management: Yes
- VESA Mount compatible: Yes (75 mm & 100 mm)
- Interchangeable parts: Yes
- Includes optional pivot limiter which prevents arm from rotation more than 180°
- Colors: S: Silver, B: Black





Workflexible



Workcoordinated

STS ARM

Features

When mounted on 14" heavy duty pole base, Conform Sit-to-Stand arm can be adjusted to ergonomically support 100% of men's and women's standing heights



Increased reach makes arm ideal for deep workspaces and corner applications

Designed for easy installation, components ship pre-assembled and are simple to configure

Engineered and tested to exceed requirements of American National Standards Institute (ANSI)/Business and Institutional Furniture Manufacturers Association (BIFMA) x5.5

Trade Agreements Act (TAA) Compliant, backed by a 10 year warranty



*All monitor arm bases sold separately
Shown with S2S Compact System Keyboard Platform



Conform STS Arm

CONF-STIS-WOPB-X

- Supports: 5-17 lb
- Maximum reach: 27.2"
- Stowed depth: 5.25"
- Vertical range: 18.2"
- Integrated wire management: Yes
- VESA Mount compatible: Yes (75 mm & 100 mm)
- Interchangeable parts: Yes
- Supports dual-arm applications
- Includes optional pivot limiter which prevents arm from rotation more than 180°
- Colors: S: Silver, B: Black

*Base ordered separately

Base Options

C-Clamp & Grommet Base

CONF-BSE-CCG-X



- For use with Articulating Monitor Arms
- Convenient top adjusting C-clamp design
- Includes both C-clamp & grommet mounting options
- 180° pivot limiter on lower arm for space constrained environments
- Supports up to 48 lb
- Available in silver and black

Two Piece C-Clamp & Grommet Base

CONF-BSE-TPCCG-X



- For use with Articulating Monitor Arms
- Detachable two piece C-clamp design for panel mounted desks
- Includes both C-clamp & grommet mounting options
- 180° pivot limiter on lower arm for space constrained environments
- Supports up to 48 lb
- Available in silver and black


14" Pole Base with C-Clamp & Grommet

CONF-PB-14CCG-X




- For use with Static Monitor Arms; or Articulating Arms w/ Pole Mount Adaptor
- Includes both C-clamp & grommet mounting options
- Convenient top adjustment C-clamp design
- Supports 1–3 monitors, up to 48 lb
- Available in silver and black

Pole Range



Recommended Configurations



14" Pole Base with Heavy Duty C-Clamp & Grommet

CONF-PB-14HDCCG-X



- For use with Static or articulating arms with a pole mount adapter
- 14" pole, heavy duty C-clamp & Grommet Base
- Designed for robust applications
- Includes both c-clamp & Grommet mounting options
- Heavy duty C-clamp design
- Supports up to 96 lb
- Available in silver and black


Options

28" Pole Base with Heavy Duty C-Clamp & Grommet

CONF-PB-28HDCCG-X



- Designed for stacked monitor applications
- For use with Static Monitor Arms; or Articulating Arms w/ Pole Mount Adaptor
- Includes both C-clamp & grommet mounting options
- Heavy duty C-clamp design
- Supports 1–6 monitors, up to 96 lb
- Available in silver and black



Accessory Options

Laptop Holder MON-LTH2-ADJ-S



- For use with Articulating or Static Monitor Arms
- Accommodates most 13" to 15" laptops, up to 10 lb
- Adjustable depth from 9.2" to 11.7"
- Reinforced steel front edge, securely holds laptop in place
- Anti-vibration pads minimize laptop noise/vibration
- Ventilated design allows laptop to cool
- Available in silver

Slider CONF-ACC-SLIDER-S



- Adds 6.5" horizontal adjustability in Conform multi-monitor configurations
- Allows for additional horizontal adjustments to accommodate oversized monitors on a single base
- VESA 100 mm interface
- 2 lb must be added to monitor weight to determine arm capacity
- Available in silver and black

Twin Monitor Bracket MON-ACCBRTK-1 TO 2-B



- For use with Articulating Monitor Arms only
- Converts single monitor arm into a dual monitor arm*
- Recommended for use with Heavy Duty Articulating Arm
- Maximum compatible monitor width 28.5"
- Monitor can pivot for a +20°/-25° viewing angle
- Available in black


*Reduces maximum weight capacity of arm by 5 lb

*additional mounting options and accessories available, please refer to Workrite pricing and specification guide for details

Accessory Options

Plastic Quick Release Adaptor


MON-ADPTVQR-W-B



- Made of black plastic
- Adaptor attaches to monitor VESA mount for quick release
- Fits standard VESA 75 mm and 100 mm mount patterns
- Order one adaptor for each monitor
- Dimensions 5.25" w × 6" h × .5" d
- Compatible with non HD Conform arms only

Metal Quick Release Adaptor


MON-CONF1SDA-QR-B



- Made of black metal
- Adapter attaches to monitor VESA mount for quick release
- Order one adapter for each monitor
- Dimensions: 4.5" w × 4.5" h × .5" d
- Compatible with non HD Conform arms only








HD Metal Quick Release Adaptor

MON-ADPT-QR-B




- Made of black metal
- Adapter attaches to monitor VESA mount for quick release
- Order one adapter for each monitor
- Dimensions: 4.5" w × 4.5" h × .5" d
- Compatible with HD Conform arms only

PRODUCT COMPARISON
CONFORM SERIES

							
MODELS							
Number of Monitors	1	1	1	1	2	2	3
ADJUSTABILITY							
Reach ⁽¹⁾	22.5"	22.5"	27.2"	24.5"	15.375"	4.5"	6.5"
Articulation Range	13"	13.5"	19"		13"		
Monitor Tilt Range	+90°/-45°	+90°/-45°	+90°/-45°	+90°/-45°	+90°/-45°	+90°/-45°	+90°/-45°
Monitor Rotation	+90°/-90°	+90°/-90°	+90°/-90°	+90°/-90°	+90°/-90°	+90°/-90°	+90°/-90°
Stowed Depth	5.25"	5.25"	5.25"	6.5"	5.5"	4.5"	6.5"
Monitor Weight Range (lb)	5–17	17–40	5–17	0–16	5–17 ea.	0–16 ea.	0–16 ea.
FEATURES							
Colors	Silver, Black	Silver, Black	Silver	Silver, Black	Silver, Black	Silver, Black	Silver, Black
Integral Cable Management	●	●	●	●	●	●	●
ACCESSORIES							
Laptop Holder	●		●	●	●	●	●
Slider					●	●	●
Quick Release Adaptor ⁽²⁾	●	●	●	●	●	●	●
Non-VESA Mount	●	●	●	●	●	●	●
100 mm × 200 mm VESA	●	●	●	●	●	●	●
Extension Arm	●	●		●	●	●	●
MOUNTING OPTIONS							
C-clamp	●	●	●	●	●	●	●
Grommet	●	●	●	●	●	●	●
Tool Bar & Privacy Panel	●	●	●	●	●	●	
Wall Mount	●	●	●	●	●	●	
Slatwall	●	●	●	●	●	●	
Knoll Antenna Adaptor	●	●	●		●		
K-Rail Adaptor	●	●	●	●	●		
WARRANTY	10 years	10 years	10 years	10 years	10 years	10 years	10 years
AVAILABLE ON GSA	●	●	●	●	●	●	●


(1) Reach decreases as monitor width increases on dual arm configurations. Values shown are maximum reach for smallest monitor width.

(2) Quick Release Adaptors are sold separately for all Conform products.



CONFORM

MONITOR ARMS



Workrite
ergonomics®

800.959.9675

2277 Pine View Way, Suite #100
Petaluma, CA 94954

www.workriteergo.com

800.463.7731

950 Warden Avenue
Toronto, Ontario M1L 4E3

1400579 Rev B
© 2020 Workrite Ergonomics. All rights reserved.