



*SUSTAINABLE PRODUCTS FOR A **GREENER** TOMORROW*

To help people thrive, we understand the importance of creating products that not only help our customers, but the world we live in. For that reason, we move toward earth-friendly policies and practices that reduce our environmental footprint.

Our ergonomic monitor arms reflect our commitment to sustainability. Most important, they're built to last, which means long-term use for you and less waste in our communities.

How we're doing our part:



More than 99% of the raw materials used in Ergotron's monitor arms are recyclable.



More than 90% of all potential waste is recycled, reused or composted.



Our main facility uses 35% less energy and generates 35% less emissions than benchmarks.



TRACE Dual Monitor Mount with Panel Clamp (45-631-224)

	Material	Total Weight (KG)	% of Weight	% Recyclable	Recyclable Weight (KG)	COO China
ALUMINUM	Die cast aluminum ADC-10	0.25	2.91%	100%	0.25	✓
	Die cast aluminum ADC-12	2.99	34.90%	100%	2.99	✓
	6063-T5	0.81	9.42%	100%	0.81	✓
BRASS	Brass	0.00	0.03%	100%	0.00	✓
BRONZE	Tin-bronze	0.00	0.01%	100%	0.00	✓
PLASTIC	Plastic ABS	0.09	1.10%	100%	0.09	✓
	Plastic Glass Filled ABS	0.59	6.93%	0%	0.00	✓
	Plastic (commonly known as Nylon)	0.07	0.80%	100%	0.07	Germany / Belgium
	Plastic polypropylene	0.07	0.79%	5%	0.00	Taiwan
	Plastic (commonly known as Acetal or Delrin)	0.08	0.88%	0%	0.00	Netherlands / China / Korea
	Polyethylene	0.01	0.12%	100%	0.01	✓
	Plastic UHMW	0.01	0.06%	0%	0.00	✓
	RUBBER	Silicone	0.01	0.06%	0%	0.00
STEEL	10B21	0.06	0.70%	100%	0.06	✓
	Alloy Steel	0.02	0.19%	100%	0.02	✓
	Carbon steel 82B	0.04	0.43%	100%	0.04	✓
	CH1T	0.13	1.55%	100%	0.13	✓
	Cold rolled steel	0.58	6.72%	100%	0.58	✓
	Hot rolled steel	2.20	25.71%	100%	2.20	✓
	SCM435	0.05	0.56%	100%	0.05	✓
	Stainless steel	0.07	0.87%	100%	0.07	✓
	Steel	0.11	1.28%	100%	0.11	✓
	Steel AISI 1018	0.20	2.34%	100%	0.20	✓
	Steel AISI 1020	0.04	0.41%	100%	0.04	✓
	Steel AISI 1022	0.01	0.14%	100%	0.01	✓
	Steel AISI 1045	0.08	0.90%	100%	0.08	✓
	Steel AISI 1075	0.01	0.08%	100%	0.01	✓
	Steel AISI 420	0.01	0.11%	100%	0.01	✓
TOTAL		10.85	100%	99.9%	10.84	





HX Desk Dual Monitor Arm (45-476-216)

	Material	Total Weight (KG)	% of Weight	% Recyclable	Recyclable Weight (KG)	COO China
ALUMINUM	Die cast aluminum ADC10/A380	5.27	34%	100%	1.83	✓
BRASS	Brass	100%	4%	100%	0.19	✓
BRONZE	Bronze	0.02	0%	100%	0.02	✓
PLASTIC	Plastic blend of Aramid and Teflon	0.01	0.1%	0%	0.25	✓
	Plastic (commonly known as Acetal or Delrin)	0.00	0.0%	100%	0.00	✓
	Plastic (commonly known as Nylon)	0.05	0.5%	100%	0.00	✓
	Plastic polypropylene	0.02	0.2%	100%	0.05	✓
	Plastic ABS	0.55	5.1%	100%	0.02	✓
TEFLON	Teflon	0.00	0.0%	0%	0.00	✓
STEEL	Cold rolled steel SPCC	0.76	7.0%	100%	0.76	✓
	Hot rolled steel SPHC	1.92	17.7%	100%	1.92	✓
	Stainless steel	0.02	0.2%	100%	0.02	✓
	Steel AISI 1020	0.04	0.4%	100%	0.04	✓
	Steel AISI 1045	0.39	3.6%	100%	0.39	✓
	Steel	0.09	0.8%	100%	0.09	✓
	Alloy steel	0.32	3.0%	100%	0.32	✓
	Carbon steel 82B	0.22	2.0%	100%	0.22	✓
	Steel class 8.8 grade A	0.04	0.3%	100%	0.04	✓
	Steel class 6.8 grade A	0.01	0.1%	100%	0.01	✓
	Steel class 4.8 grade A	0.08	0.7%	100%	0.08	✓
	Steel class 12.9 grade A	0.11	1.0%	100%	0.11	✓
	Steel class 10.9 grade A	0.10	0.9%	100%	0.10	✓
ZINC	Zinc casting	0.53	4.9%	100%	0.53	✓
IRON	Iron	0.04	0.4%	100%	0.04	✓
TOTAL		10.85	100%	99.9%	10.84	





LX Desk Dual Direct Arm (45-489-216)

	Material	Total Weight (KG)	% of Weight	% Recyclable	Recyclable Weight (KG)	COO China
ALUMINUM	Die cast aluminum	1.83	34%	100%	1.83	✓
PLASTIC	ABS	0.19	4%	100%	0.19	✓
	ABS and adhesive	0.00	0%	0%	0.00	✓
	Nylon PA 66	0.02	0%	100%	0.02	✓
	Plastic (commonly known as Acetal)	0.01	0%	0%	0.00	✓
	Plastic (commonly known as Nylon)	0.02	0%	100%	0.02	✓
	Plastic blend of Aramid and Teflon	0.00	0%	0%	0.00	✓
	Plastic UHMW	0.00	0%	100%	0.00	✓
	Plastic used for high wear applications like pivot joints	0.00	0%	100%	0.00	✓
RUBBER	EPDM 60 Durometer	0.00	0%	100%	0.00	✓
STEEL	Alloy steel	0.17	3%	100%	0.17	✓
	Carbon steel 82B	0.14	3%	100%	0.14	✓
	Cold rolled steel	0.54	10%	100%	0.54	✓
	Hot rolled steel	1.80	33%	100%	1.80	✓
	Plain carbon steel	0.04	1%	100%	0.04	✓
	Steel	0.43	8%	100%	0.43	✓
	Steel AISI 1008	0.02	0%	100%	0.02	✓
	Steel AISI 1076	0.00	0%	100%	0.00	✓
	Steel AISI C1018	0.02	0%	100%	0.02	✓
	Steel class 10.9 grade B	0.03	1%	100%	0.03	✓
	Steel class 12.9 grade A	0.03	1%	100%	0.03	✓
	Steel class 4.8 grade A	0.08	2%	100%	0.08	✓
	Steel class 5.6 grade A	0.02	0%	100%	0.02	✓
	Steel class 8.8 grade A	0.01	0%	100%	0.01	✓
	Steel used for Belleville washers	0.01	0%	100%	0.01	✓
TOTAL		5.42	100%	99.8%	5.41	





LX Desk Monitor Arm (45-490-216)

	Material	Total Weight (KG)	% of Weight	% Recyclable	Recyclable Weight (KG)	COO China
ALUMINUM	6061-T6	0.02	0.4%	100%	0.02	✓
	Die cast aluminum ADC10	1.64	39.4%	100%	1.64	✓
COLD ROLLED STEEL	SPCC	0.30	7.3%	100%	0.30	✓
EPDM	EPDM 60 Durometer	0.00	0.0%	100%	0.00	✓
PLASTIC	Nylon 6/6	0.02	0.4%	100%	0.02	✓
	RTP800TFE5	0.01	0.2%	0%	0.00	✓
	ABS	0.04	0.9%	97%	0.03	✓
	PA Type 6	0.01	0.4%	100%	0.01	✓
	Blend of Aramid and Teflon RTP800AR5TFE10	0.00	0.0%	0%	0.00	✓
	Polyethylene UHMW	0.00	0.0%	100%	0.00	✓
	PA 66	0.00	0.0%	100%	0.00	✓
STEEL	Hot rolled steel SPHC	0.83	19.9%	100%	0.83	✓
	Cold rolled steel SPCC	0.30	7.3%	100%	0.30	✓
	Steel AISI 1020	0.35	8.5%	100%	0.35	✓
	Steel AISI 1045	0.07	1.7%	100%	0.07	✓
	Steel AISI 1075	0.00	0.0%	100%	0.00	✓
	Steel AISI C1018	0.07	1.7%	100%	0.07	✓
	Alloy steel	0.17	4.1%	100%	0.17	✓
	Carbon steel 82B	0.18	4.4%	100%	0.18	✓
	Plain carbon steel	0.05	1.1%	100%	0.05	✓
	Steel Class 12.9 Grade A	0.04	0.8%	100%	0.04	✓
	Steel Class 4.8 Grade A	0.04	1.0%	100%	0.04	✓
	SK7	0.01	0.2%	100%	0.01	✓
ZINC CASTING	ZA-8	0.01	0.3%	100%	0.01	✓
TOTAL		4.17	100.0%	99.7%	4.16	





MXV Desk Monitor Arm (45-486-216)

	Material	Total Weight (KG)	% of Weight	% Recyclable	Recyclable Weight (KG)	COO China	
ALUMINUM	Die cast aluminum ADC10/A380	1.33	50.8%	100%	1.33	✓	
PLASTIC	Plastic ABS	0.02	0.9%	100%	0.02	✓	
	EPDM 60 Durometer	0.00	0.0%	100%	0.00	✓	
	Plastic (commonly known as Nylon)	0.00	0.0%	100%	0.00	✓	
	PA 66	0.00	0.0%	100%	0.00	✓	
	PA Type 6	0.01	0.5%	100%	0.01	✓	
	RTP	0.02	0.9%	0%	0.00	✓	
	STEEL	Cold rolled steel SPCC	0.22	8.3%	100%	0.22	✓
Hot rolled steel SPHC		0.53	20.1%	100%	0.53	✓	
Steel AISI 1020		0.01	0.3%	100%	0.01	✓	
Steel AISI 1045		0.09	3.6%	100%	0.09	✓	
Steel AISI 1075		0.00	0.0%	100%	0.00	✓	
Steel AISI C1018		0.02	0.8%	100%	0.02	✓	
Alloy steel		0.02	0.7%	100%	0.02	✓	
Carbon steel 82B		0.17	6.6%	100%	0.17	✓	
Plain carbon steel		0.01	0.5%	100%	0.01	✓	
SK7		0.01	0.2%	100%	0.01	✓	
Steel class 12.9 grade A		0.12	4.4%	100%	0.12	✓	
Steel class 4.8 grade A		0.00	0.2%	100%	0.00	✓	
Steel class 6.8 grade A		0.01	0.3%	100%	0.01	✓	
CH1T		0.02	0.7%	100%	0.02	✓	
TOTAL		2.62	100%	99.1%	2.60		

Download additional resources at ergotron.com.

For more information:

USA and Canada: 800.888.8458 / +1.651.681.7600 / insidesales@ergotron.com

EMEA: +31.33.45.45.600 / info.eu@ergotron.com

APAC: apaccustomerservice@ergotron.com

LATAM: +1.800.681.1820 / info.latam@ergotron.com

Custom: custom@ergotron.com

© Ergotron, Inc. 06.08.2021

Literature made in the U.S.A.

Content subject to change.

Patent information available at www.ergotron.com/patents.

Ergotron devices are not intended to cure, treat, mitigate or prevent any disease.



www.ergotron.com

