ergotron®



SUSTAINABLE PRODUCTS FOR A GREENER TOMORROW

To help people thrive, we understand the importance of creating products that not only help our customers, but the world we live in. For that reason, we move toward earth-friendly policies and practices that reduce our environmental footprint.

Our ergonomic monitor arms reflect our commitment to sustainability. Most important, they're built to last, which means long-term use for you and less waste in our communities.

How we're doing our part:



More than 99% of the raw materials used in Ergotron's monitor arms are recyclable.



More than 90% of all potential waste is recycled, reused or composted.



Our main facility uses 35% less energy and generates 35% less emissions than benchmarks.



TRACE Dual Monitor Mount with Panel Clamp (45-631-224)

	Material	Total Weight (KG)	% of Weight	% Recyclable	Recyclable Weight (KG)	COO China
ALUMINUM	Die cast aluminum ADC-10	0.25	2.91%	100%	0.25	√
	Die cast aluminum ADC-12	2.99	34.90%	100%	2.99	√
	6063-T5	0.81	9.42%	100%	0.81	√
BRASS	Brass	0.00	0.03%	100%	0.00	√
BRONZE	Tin-bronze	0.00	0.01%	100%	0.00	√
PLASTIC	Plastic ABS	0.09	1.10%	100%	0.09	√
	Plastic Glass Filled ABS	0.59	6.93%	0%	0.00	√
	Plastic (commonly known as Nylon)	0.07	0.80%	100%	0.07	Germany / Belgium
	Plastic polypropylene	0.07	0.79%	5%	0.00	Taiwan
	Plastic (commonly known as Acetal or Delrin)	0.08	0.88%	0%	0.00	Netherlands / China / Korea
	Polyethylene	0.01	0.12%	100%	0.01	√
	Plastic UHMW	0.01	0.06%	0%	0.00	√
RUBBER	Silicone	0.01	0.06%	0%	0.00	√
STEEL	10B21	0.06	0.70%	100%	0.06	√
	Alloy Steel	0.02	0.19%	100%	0.02	√
	Carbon steel 82B	0.04	0.43%	100%	0.04	√
	CH1T	0.13	1.55%	100%	0.13	√
	Cold rolled steel	0.58	6.72%	100%	0.58	√
	Hot rolled steel	2.20	25.71%	100%	2.20	√
	SCM435	0.05	0.56%	100%	0.05	√
	Stainless steel	0.07	0.87%	100%	0.07	√
	Steel	0.11	1.28%	100%	0.11	√
	Steel AISI 1018	0.20	2.34%	100%	0.20	√
	Steel AISI 1020	0.04	0.41%	100%	0.04	√
	Steel AISI 1022	0.01	0.14%	100%	0.01	√
	Steel AISI 1045	0.08	0.90%	100%	0.08	√
	Steel AISI 1075	0.01	0.08%	100%	0.01	√
	Steel AISI 420	0.01	0.11%	100%	0.01	√
TOTAL		8.55	100%	91%	7.81	





HX Desk Dual Monitor Arm (45-476-216)

	Material	Total Weight (KG)	% of Weight	% Recyclable	Recyclable Weight (KG)	COO China
ALUMINUM	Die cast aluminum ADC10/A380	5.27	34%	100%	1.83	\checkmark
BRASS	Brass	100%	4%	100%	0.19	√
BRONZE	Bronze	0.02	0%	100%	0.02	\checkmark
PLASTIC	Plastic blend of Aramid and Teflon	0.01	0.1%	0%	0.25	√
	Plastic (commonly known as Acetal or Delrin)	0.00	0.0%	100%	0.00	\checkmark
	Plastic (commonly known as Nylon)	0.05	0.5%	100%	0.00	\checkmark
	Plastic polypropylene	0.02	0.2%	100%	0.05	\checkmark
	Plastic ABS	0.55	5.1%	100%	0.02	\checkmark
TEFLON	Teflon	0.00	0.0%	0%	0.00	\checkmark
STEEL	Cold rolled steel SPCC	0.76	7.0%	100%	0.76	\checkmark
	Hot rolled steel SPHC	1.92	17.7%	100%	1.92	\checkmark
	Stainless steel	0.02	0.2%	100%	0.02	\checkmark
	Steel AISI 1020	0.04	0.4%	100%	0.04	\checkmark
	Steel AISI 1045	0.39	3.6%	100%	0.39	\checkmark
	Steel	0.09	0.8%	100%	0.09	\checkmark
	Alloy steel	0.32	3.0%	100%	0.32	\checkmark
	Carbon steel 82B	0.22	2.0%	100%	0.22	\checkmark
	Steel class 8.8 grade A	0.04	0.3%	100%	0.04	\checkmark
	Steel class 6.8 grade A	0.01	0.1%	100%	0.01	\checkmark
	Steel class 4.8 grade A	0.08	0.7%	100%	0.08	√
	Steel class 12.9 grade A	0.11	1.0%	100%	0.11	\checkmark
	Steel class 10.9 grade A	0.10	0.9%	100%	0.10	√
ZINC	Zinc casting	0.53	4.9%	100%	0.53	\checkmark
IRON	Iron	0.04	0.4%	100%	0.04	√
TOTAL		10.85	100%	99.9%	10.84	





LX Desk Dual Direct Arm (45-489-216)

	Material	Total Weight (KG)	% of Weight	% Recyclable	Recyclable Weight (KG)	COO China
ALUMINUM	Die cast aluminum	1.83	34%	100%	1.83	\checkmark
PLASTIC	ABS	0.19	4%	100%	0.19	√
	ABS and adhesive	0.00	0%	0%	0.00	√
	Nylon PA 66	0.02	0%	100%	0.02	\checkmark
	Plastic (commonly known as Acetal)	0.01	0%	0%	0.00	\checkmark
	Plastic (commonly known as Nylon)	0.02	0%	100%	0.02	\checkmark
	Plastic blend of Aramid and Teflon	0.00	0%	0%	0.00	√
	Plastic UHMW	0.00	0%	100%	0.00	√
	Plastic used for high wear applications like pivot joints	0.00	0%	100%	0.00	√
RUBBER	EPDM 60 Durometer	0.00	0%	100%	0.00	\checkmark
STEEL	Alloy steel	0.17	3%	100%	0.17	√
	Carbon steel 82B	0.14	3%	100%	0.14	√
	Cold rolled steel	0.54	10%	100%	0.54	√
	Hot rolled steel	1.80	33%	100%	1.80	\checkmark
	Plain carbon steel	0.04	1%	100%	0.04	\checkmark
	Steel	0.43	8%	100%	0.43	\checkmark
	Steel AISI 1008	0.02	0%	100%	0.02	\checkmark
	Steel AISI 1076	0.00	0%	100%	0.00	√
	Steel AISI C1018	0.02	0%	100%	0.02	√
	Steel class 10.9 grade B	0.03	1%	100%	0.03	√
	Steel class 12.9 grade A	0.03	1%	100%	0.03	\checkmark
	Steel class 4.8 grade A	0.08	2%	100%	0.08	\checkmark
	Steel class 5.6 grade A	0.02	0%	100%	0.02	\checkmark
	Steel class 8.8 grade A	0.01	0%	100%	0.01	\checkmark
	Steel used for Belleville washers	0.01	0%	100%	0.01	\checkmark
TOTAL		5.42	100%	99.8%	5.41	





LX Desk Monitor Arm (45-490-216)

	Material	Total Weight (KG)	% of Weight	% Recyclable	Recyclable Weight (KG)	COO China
ALUMINUM	6061-T6	0.02	0.4%	100%	0.02	√
	Die cast aluminum ADC10	1.64	39.4%	100%	1.64	\checkmark
COLD ROLLED STEEL	SPCC	0.30	7.3%	100%	0.30	√
EPDM	EPDM 60 Durometer	0.00	0.0%	100%	0.00	√
PLASTIC	Nylon 6/6	0.02	0.4%	100%	0.02	√
	RTP800TFE5	0.01	0.2%	0%	0.00	√
	ABS	0.04	0.9%	97%	0.03	√
	PA Type 6	0.01	0.4%	100%	0.01	\checkmark
	Blend of Aramid and Teflon RTP800AR5TFE10	0.00	0.0%	0%	0.00	\checkmark
	Polyethylene UHMW	0.00	0.0%	100%	0.00	\checkmark
	PA 66	0.00	0.0%	100%	0.00	√
STEEL	Hot rolled steel SPHC	0.83	19.9%	100%	0.83	√
	Cold rolled steel SPCC	0.30	7.3%	100%	0.30	√
	Steel AISI 1020	0.35	8.5%	100%	0.35	√
	Steel AISI 1045	0.07	1.7%	100%	0.07	\checkmark
	Steel AISI 1075	0.00	0.0%	100%	0.00	\checkmark
	Steel AISI C1018	0.07	1.7%	100%	0.07	√
	Alloy steel	0.17	4.1%	100%	0.17	\checkmark
	Carbon steel 82B	0.18	4.4%	100%	0.18	\checkmark
	Plain carbon steel	0.05	1.1%	100%	0.05	\checkmark
	Steel Class 12.9 Grade A	0.04	0.8%	100%	0.04	\checkmark
	Steel Class 4.8 Grade A	0.04	1.0%	100%	0.04	\checkmark
	SK7	0.01	0.2%	100%	0.01	\checkmark
ZINC CASTING	ZA-8	0.01	0.3%	100%	0.01	√
TOTAL		4.17	100.0%	99.7%	4.16	





MXV Desk Monitor Arm (45-486-216)

	Material	Total Weight (KG)	% of Weight	% Recyclable	Recyclable Weight (KG)	COO China
ALUMINUM	Die cast aluminum ADC10/A380	1.33	50.8%	100%	1.33	\checkmark
PLASTIC	Plastic ABS	0.02	0.9%	100%	0.02	√
	EPDM 60 Durometer	0.00	0.0%	100%	0.00	√
	Plastic (commonly known as Nylon)	0.00	0.0%	100%	0.00	\checkmark
	PA 66	0.00	0.0%	100%	0.00	\checkmark
	PA Type 6	0.01	0.5%	100%	0.01	\checkmark
	RTP	0.02	0.9%	0%	0.00	\checkmark
STEEL	Cold rolled steel SPCC	0.22	8.3%	100%	0.22	\checkmark
	Hot rolled steel SPHC	0.53	20.1%	100%	0.53	\checkmark
	Steel AISI 1020	0.01	0.3%	100%	0.01	\checkmark
	Steel AISI 1045	0.09	3.6%	100%	0.09	\checkmark
	Steel AISI 1075	0.00	0.0%	100%	0.00	\checkmark
	Steel AISI C1018	0.02	0.8%	100%	0.02	\checkmark
	Alloy steel	0.02	0.7%	100%	0.02	\checkmark
	Carbon steel 82B	0.17	6.6%	100%	0.17	\checkmark
	Plain carbon steel	0.01	0.5%	100%	0.01	\checkmark
	SK7	0.01	0.2%	100%	0.01	\checkmark
	Steel class 12.9 grade A	0.12	4.4%	100%	0.12	\checkmark
	Steel class 4.8 grade A	0.00	0.2%	100%	0.00	\checkmark
	Steel class 6.8 grade A	0.01	0.3%	100%	0.01	\checkmark
	CH1T	0.02	0.7%	100%	0.02	√
TOTAL		2.62	100%	99.1%	2.60	

Download additional resources at ergotron.com.

For more information:

USA and Canada: 800.888.8458 / +1.651.681.7600 / insidesales@ergotron.com

EMEA: +31.33.45.45.600 / info.eu@ergotron.com

 ${\sf APAC: apaccustomerservice@ergotron.com}$

LATAM: +1.800.681.1820 / info.latam@ergotron.com

Custom: custom@ergotron.com © Ergotron, Inc. 06.08.2021

Literature made in the U.S.A. Content subject to change.

Patent information available at www.ergotron.com/patents.

 $\label{thm:continuous} \mbox{Ergotron devices are not intended to cure, treat, mitigate or prevent any disease.}$



