

PROJECTOR SECURITY GUIDE





PROJECTOR SECURITY GUIDE

Block projector theft and protect your AV investment!

Chief[®], the industry leader in mounting solutions, offers a broad lineup of products focused on projector security and protection.

BASIC

Chief's All-Points[™] Security locking hardware at all key connection points prevents the ability to remove the projector from the mount. Access can be obtained with the use of a security wrench.

INTERMEDIATE

Chief's PL[™] Series of Projector Locks consist of an all-steel vented lock box that fits around an RPA[™] Series mount and secures with a key.

Chief's RPA Elite[™] projector mounts were designed with integrated security via the exclusive Q-Lock Locking Lever.

ADVANCED

Chief's RPA and RPA Elite Security Series of mounts are all-in-one solutions that rely solely on key and lock security. Fasteners are concealed beneath the universal steel interface and virtually inaccessible.

COMPLETE

When maximum security is needed. PG[™] Series of Projector Guards enclose the projector inside a solid steel cage for ultimate protection.



MOUNT TYPE ADVANCED

SECURITY LEVEL

ALL-POINTS SECURITY

Tamper-resistant hardware at all key connection points to deter theft.

RPA Series

BASIC



RPA-xxx Custom Projector Mount RPAU Universal Projector Mount

RPA Elite Series



Accessories



Available Color Options = \square

INTERMEDIATE

ADVANCED

PROJECTOR LOCKS

Secures mount with key and lock security combined with All-Points Security.



All-in-one security/mount solution that relies solely on key and lock security (no exposed fasteners). **RPA Security Series**

SECURITY MOUNTS

RPA(A/B/C)1 All-In-One Security Mount with Key Option A, B or C



RPM(A/B/C)1 All-In-One Security Mount with Q-Lock Key Option A, B or C ■■

COMPLETE

SECURITY CABLES

Add additional security to any installation with security cables.



PROJECTOR GUARDS

Encloses the mount and projector inside a steel cage for ultimate security.





RPA series[™]

RPA Elite Projector Mount





Integrated Locking Lever Provides enhanced security with an integrated key and lock system.



Micro Adjustment

For fast and precise projector registration, including flush-mount installations.



<mark>Centris[™] Technology</mark> Fingertip Adjustment Enables effortless, fingertip positioning

ALSO AVAILABLE

RPA[™] Projector Mount Universal Option Shown

- Integrated Cable Management
- All-Points[™] Security System





| Туре | Max Weight | Color(s) |
|-----------|-------------------------------|---|
| Custom | 50 lbs (22.7 kg) | |
| Universal | 50 lbs (22.7 kg) | |
| Custom | 50 lbs (22.7 kg) | |
| Universal | 50 lbs (22.7 kg) | |
| | Custom Universal Custom | Custom 50 lbs (22.7 kg) Universal 50 lbs (22.7 kg) Custom 50 lbs (22.7 kg) |

*For Q-Lock[™] integrated security, order RPMA, RPMB or RPMC with A, B or C designating the key option.




| Model | Description | Color(s) |
|---------------------------|---|----------|
| CMS115™ | Ceiling Plate | |
| CMS TM -0XX0XX | 1-1/2" NPT Adjustable Extension Column | |
| CMS TM -0XX | 1-1/2" NPT Fixed Extension Column | |
| CMS440™ | Lightweight Suspended Ceiling Kit | - |
| CMS445™ | Ceiling Tile Replacement Kit | |
| CMA470™ | Plenum Enclosure for CMS440 | |



FOR A COMPLETE LIST OF ACCESSORIES, VISIT WWW.CHIEFMFG.COM



PROJECTOR SECURITY GUIDE





CHIEF MANUFACTURING A DIVISION OF CSAV, INC.

USA/INTERNATIONA chief@chiefmfg.com

CHIEF MOUNTS CANADA

CSAV EUROPE B.V.

CSAV ASIA PACIFIC LTD asia.chief@csavinc.com

- 8401 EAGLE CREEK PARKWAY, SAVAGE MN 55378 USA
 P 800.582.6480 = 952.894.6280
 F 877.894.6918 = 952.894.6918
- 2-310 FIRST STR, MIDLAND ON L4R 3N9 CANADA P 877.345.4329 F 888.377.5314
- FELLENOORD 130, 5611 ZB EINDHOVEN, NETHERLANDS P +31 (0) 40 2668620 ■ F +31 (0) 40 2668615
- ROOM 29G, H, I, LILY YINDU INTERNATIONAL BUILDING, LUOGANG, BUJI TOWN, SHENZHEN, CHINA, 518112
 P 86 755 8996 9226 F 86 755 8996 9217

©2007 CSAV, Inc. Printed in the USA. 100127A 3/07. Chief is a registered trademark of CSAV, Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.