


# EVOLVE 1500

## STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 27" high hub base
- 60mm dual casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, black mesh back
- Standard seat height approx. range for model pictured (floor to top of seat): 18" to 21 1/4" (with 1101 cylinder)\*



Model 1515

**OPTIONS** See pages 121-122 for additional options



### 1515 Task

#### MEDIUM BACK

Multi-function 05 control, ratchet back, seat slider

| Arm     | B   | C<br>(com) | D   | E<br>(col) | F   | G   | L   |
|---------|-----|------------|-----|------------|-----|-----|-----|
| Armless | 573 | 588        | 606 | 632        | 671 | 729 | 825 |



**01A** Fold away arm with vertical and horizontal adjustment and standard 10 pad  
**199**



**08A** 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad  
**128**



**23A** Forward angled vertically and horizontally adjustable arm with 10 pad  
**125**



**25A** Vertical and horizontal adjustable "T" arm with standard 10 pad  
**110**



**37A** 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed.  
**153**

### 1518 Task

#### MEDIUM BACK

Ratchet back, multi-function 08-control w/seat slider, knee tilt

| Arm     | B   | C<br>(com) | D   | E<br>(col) | F   | G   | L   |
|---------|-----|------------|-----|------------|-----|-----|-----|
| Armless | 669 | 684        | 702 | 728        | 767 | 825 | 921 |

### 15114 Task

#### MEDIUM BACK

Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

| Arm     | B   | C<br>(com) | D   | E<br>(col) | F   | G   | L   |
|---------|-----|------------|-----|------------|-----|-----|-----|
| Armless | 573 | 588        | 606 | 632        | 671 | 729 | 825 |

### NS151

#### MEDIUM BACK

Enhanced task 07 control and ratchet back w/ seat slider

| Arm     | B   | C<br>(com) | D   | E<br>(col) | F   | G   | L   |
|---------|-----|------------|-----|------------|-----|-----|-----|
| Armless | 548 | 563        | 581 | 607        | 646 | 704 | 800 |

| SEAT SIZE OPTIONS | LIST PRICE          |                     | LIST PRICE           |               | LIST PRICE |       |
|-------------------|---------------------|---------------------|----------------------|---------------|------------|-------|
|                   | Model               | Price               | Model                | Price         | Mesh Color | Price |
| SEAT SIZE OPTIONS | 480 Small           | N/C                 | 1100 X-Small Tractor | 50            | White      | M01   |
|                   | 18 1/2 w x 17 1/2 d | N/C                 | 19 3/4 w x 19 3/4 d  | 50            | Silver     | M02   |
|                   | 482 Medium          | N/C                 | 1200 Small Tractor   | 50            | Charcoal   | M03   |
|                   | 20 w x 19 d         | N/C                 | 22 w x 19 3/4 d      | 50            | Red        | M04   |
| 484 Large         | N/C                 | 1300 Medium Tractor | 50                   | Azure/Blue    | M05        |       |
| 21 w x 20 d       | N/C                 | 22 1/2 w x 20 1/4 d | 50                   | Cappucino/Tan | M06        |       |
| 490 X-Large       | N/C                 | 1500 Deep Tractor   | 150                  |               |            |       |
| 23 w x 21 d       | N/C                 | 24 1/4 w x 19 3/4 d | 150                  |               |            |       |

| POPULAR OPTIONS                  | Price |
|----------------------------------|-------|
| ■ #70P Extra thick, soft arm pad | 15    |
| ■ #25F RFoAM                     | 75    |
| ■ #60L Air Lumbar                | 135   |
| ■ #65HR Articulating headrest    | 382   |

| 24/7 UPGRADE                 | Price      |
|------------------------------|------------|
| <b>24/7 Upgrade includes</b> | <b>295</b> |
| ■ Seat Slider                |            |
| ■ 28" Heavy base             |            |
| ■ 70mm Heavy duty casters    |            |
| ■ 9 Ply seat shell           |            |
| ■ Dual Density Foam          |            |
| ■ Heavy-duty back bar        |            |


\*If your customer requires an even lower seat height, order our standard base0013 with a 65mm cylinder for a seat range of 16.625" to 19.375"; or order our standard base0013 with a 70mm cylinder for a seat range of 18.375" to 20.875".

\*24/7 Upgrade option available on 05 control and NS models ONLY.

# EVOLVE 1500

## STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 27" high hub base
- 60mm dual casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, upholstered back
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/4" to 21 1/2" (with 1101 cylinder)\*



Model 1525-482S

**OPTIONS** See pages 121-122 for additional options



**01A** Fold away arm with vertical and horizontal adjustment and standard 10 pad 199



**08A** 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad 128



**23A** Forward angled vertically and horizontally adjustable arm with 10 pad 125



**25A** Vertical and horizontal adjustable "T" arm with standard 10 pad 110



**37A** 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. 153

### 1525 Task

#### MEDIUM BACK

Multi-function 05 control, ratchet back, seat slider

| Arm     | B   | C (com) | D   | E (col) | F   | G   | L    |
|---------|-----|---------|-----|---------|-----|-----|------|
| Armless | 693 | 716     | 749 | 794     | 855 | 952 | 1142 |

### 1528 Task

#### MEDIUM BACK

Ratchet back, multi-function 08-control w/seat slider, knee tilt

| Arm     | B   | C (com) | D   | E (col) | F   | G    | L    |
|---------|-----|---------|-----|---------|-----|------|------|
| Armless | 789 | 812     | 845 | 890     | 951 | 1048 | 1238 |

### 15214 Task

#### MEDIUM BACK

Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

| Arm     | B   | C (com) | D   | E (col) | F   | G   | L    |
|---------|-----|---------|-----|---------|-----|-----|------|
| Armless | 693 | 716     | 749 | 794     | 855 | 952 | 1142 |

### NS152

#### MEDIUM BACK

Enhanced task 07 control and ratchet back w/ seat slider

| Arm     | B   | C (com) | D   | E (col) | F   | G   | L    |
|---------|-----|---------|-----|---------|-----|-----|------|
| Armless | 668 | 691     | 724 | 769     | 830 | 927 | 1117 |

## SEAT SIZE OPTIONS

|                     | LIST PRICE |                             | LIST PRICE |
|---------------------|------------|-----------------------------|------------|
| <b>480</b> Small    |            | <b>1100</b> X-Small Tractor |            |
| 18 1/2 w x 17 1/2 d | N/C        | 19 3/4 w x 19 3/4 d         | 50         |
| <b>482</b> Medium   |            | <b>1200</b> Small Tractor   |            |
| 20 w x 19 d         | N/C        | 22 w x 19 3/4 d             | 50         |
| <b>484</b> Large    |            | <b>1300</b> Medium Tractor  |            |
| 21 w x 20 d         | N/C        | 22 1/2 w x 20 1/4 d         | 50         |
| <b>490</b> X-Large  |            | <b>1500</b> Deep Tractor    |            |
| 23 w x 21 d         | N/C        | 24 1/4 w x 19 3/4 d         | 150        |

## POPULAR OPTIONS

- #70P Extra thick, soft arm pad 15
- #25F RFoAM 75
- #60L Air Lumbar 135
- #65HR Articulating headrest 382

## 24/7 UPGRADE

- 24/7 Upgrade includes 295**
- Seat Slider
- 28" Heavy base
- 70mm Heavy duty casters
- 9 Ply seat shell
- Dual Density Foam
- Heavy-duty back bar

\*If your customer requires an even lower seat height, order our standard base0013 with a 65mm cylinder for a seat range of 16.625" to 19.375"; or order our standard base0013 with a 70mm cylinder for a seat range of 18.375" to 20.875".

\*24/7 Upgrade option available on 05 control and NS models ONLY.

# EVOLVE 1500


## STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 27" high hub base
- 60mm dual casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, black mesh back
- Standard seat height approx. range for model pictured (floor to top of seat): 18" to 21 1/4" (with 1101 cylinder)\*



Model 1535

**OPTIONS** See pages 121-122 for additional options



**01A** Fold away arm with vertical and horizontal adjustment and standard 10 pad  
**199**



**08A** 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad  
**128**



**23A** Forward angled vertically and horizontally adjustable arm with 10 pad  
**125**



**25A** Vertical and horizontal adjustable "T" arm with standard 10 pad  
**110**



**37A** 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed.  
**153**

### 1535 Task

#### MANAGERS HIGH BACK

Multi-function 05 control, ratchet back, seat slider

| Arm     | B   | C<br>(com) | D   | E<br>(col) | F   | G   | L   |
|---------|-----|------------|-----|------------|-----|-----|-----|
| Armless | 586 | 601        | 619 | 645        | 684 | 742 | 838 |

### 1538 Task

#### MANAGERS HIGH BACK

Ratchet back, multi-function 08-control w/seat slider, knee tilt

| Arm     | B   | C<br>(com) | D   | E<br>(col) | F   | G   | L   |
|---------|-----|------------|-----|------------|-----|-----|-----|
| Armless | 682 | 697        | 715 | 741        | 780 | 838 | 934 |

### 15314 Task

#### MANAGERS HIGH BACK

Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

| Arm     | B   | C<br>(com) | D   | E<br>(col) | F   | G   | L   |
|---------|-----|------------|-----|------------|-----|-----|-----|
| Armless | 586 | 601        | 619 | 645        | 684 | 742 | 838 |

### NS153

#### MANAGERS HIGH BACK

Enhanced task 07 control and ratchet back w/ seat slider

| Arm     | B   | C<br>(com) | D   | E<br>(col) | F   | G   | L   |
|---------|-----|------------|-----|------------|-----|-----|-----|
| Armless | 561 | 576        | 594 | 620        | 659 | 717 | 813 |

## SEAT SIZE OPTIONS

|   | LIST PRICE |
|---|------------|
| <b>480</b> Small<br>18 1/2 w x 17 1/2 d | N/C        |
| <b>482</b> Medium<br>20 w x 19 d        | N/C        |
| <b>484</b> Large<br>21 w x 20 d         | N/C        |
| <b>490</b> X-Large<br>23 w x 21 d       | N/C        |

|  | LIST PRICE |
|--|------------|
| <b>1100</b> X-Small Tractor<br>19 3/4 w x 19 3/4 d | 50         |
| <b>1200</b> Small Tractor<br>22 w x 19 3/4 d       | 50         |
| <b>1300</b> Medium Tractor<br>22 1/2 w x 20 1/4 d  | 50         |
| <b>1500</b> Deep Tractor<br>24 1/4 w x 19 3/4 d    | 150        |

| Mesh Color           | LIST PRICE |
|----------------------|------------|
| <b>SPECIFY COLOR</b> | <b>50</b>  |
| White                | M01        |
| Silver               | M02        |
| Charcoal             | M03        |
| Red                  | M04        |
| Azure/Blue           | M05        |
| Cappucino/Tan        | M06        |

## POPULAR OPTIONS

|                                  |     |
|----------------------------------|-----|
| ■ #70P Extra thick, soft arm pad | 15  |
| ■ #25F RFoam                     | 75  |
| ■ #60L Air Lumbar                | 135 |
| ■ #70L Air Thoracic              | 135 |
| ■ #68L Air Lumbar & Thoracic     | 215 |
| ■ #65HR Articulating headrest    | 382 |

## 24/7 UPGRADE

|                              |            |
|------------------------------|------------|
| <b>24/7 Upgrade includes</b> | <b>295</b> |
| ■ Seat Slider                |            |
| ■ 28" Heavy base             |            |
| ■ 70mm Heavy duty casters    |            |
| ■ 9 Ply seat shell           |            |
| ■ Dual Density Foam          |            |
| ■ Heavy-duty back bar        |            |

\*If your customer requires an even lower seat height, order our standard base0013 with a 65mm cylinder for a seat range of 17.25" to 19.875"; or order our standard base0013 with a 70mm cylinder for a seat range of 18.375" to 20.875".

\*24/7 Upgrade option available on 05 control and NS models ONLY.

# EVOLVE 1500

## STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 27" high hub base
- 60mm dual casters
- Defined contoured lumbar area
- 1900 comfort molded foam tractor seat
- Height adjustable, upholstered back
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/4" to 21 1/2" (with 1101 cylinder)\*



Model 15414-482S

**OPTIONS** See pages 121-122 for additional options



**01A** Fold away arm with vertical and horizontal adjustment and standard 10 pad **199**



**08A** 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad **128**



**23A** Forward angled vertically and horizontally adjustable arm with 10 pad **125**



**25A** Vertical and horizontal adjustable "T" arm with standard 10 pad **110**



**37A** 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed. **153**

### 1545 Task

#### MANAGERS HIGH BACK

Multi-function 05 control, ratchet back, seat slider

| Arm     | B   | C (com) | D   | E (col) | F   | G   | L    |
|---------|-----|---------|-----|---------|-----|-----|------|
| Armless | 706 | 729     | 762 | 807     | 868 | 965 | 1155 |

### 1548 Task

#### MANAGERS HIGH BACK

Ratchet back, multi-function 08-control w/seat slider, knee tilt

| Arm     | B   | C (com) | D   | E (col) | F   | G    | L    |
|---------|-----|---------|-----|---------|-----|------|------|
| Armless | 802 | 825     | 858 | 903     | 964 | 1061 | 1251 |

### 15414 Task

#### MANAGERS HIGH BACK

Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

| Arm     | B   | C (com) | D   | E (col) | F   | G   | L    |
|---------|-----|---------|-----|---------|-----|-----|------|
| Armless | 706 | 729     | 762 | 807     | 868 | 965 | 1155 |

### NS154

#### MANAGERS HIGH BACK

Enhanced task 07 control and ratchet back w/ seat slider

| Arm     | B   | C (com) | D   | E (col) | F   | G   | L    |
|---------|-----|---------|-----|---------|-----|-----|------|
| Armless | 681 | 704     | 737 | 782     | 843 | 940 | 1130 |

## SEAT SIZE OPTIONS

|                     | LIST PRICE |                             | LIST PRICE |
|---------------------|------------|-----------------------------|------------|
| <b>480</b> Small    |            | <b>1100</b> X-Small Tractor |            |
| 18 1/2 w x 17 1/2 d | N/C        | 19 3/4 w x 19 3/4 d         | 50         |
| <b>482</b> Medium   |            | <b>1200</b> Small Tractor   |            |
| 20 w x 19 d         | N/C        | 22 w x 19 3/4 d             | 50         |
| <b>484</b> Large    |            | <b>1300</b> Medium Tractor  |            |
| 21 w x 20 d         | N/C        | 22 1/2 w x 20 1/4 d         | 50         |
| <b>490</b> X-Large  |            | <b>1500</b> Deep Tractor    |            |
| 23 w x 21 d         | N/C        | 24 1/4 w x 19 3/4 d         | 150        |

## POPULAR OPTIONS

- #70P Extra thick, soft arm pad **15**
- #25F RFoAM **75**
- #60L Air Lumbar **135**
- #70L Air Thoracic **135**
- #68L Air Lumbar & Thoracic **215**
- #65HR Articulating headrest **382**

## 24/7 UPGRADE

- 24/7 Upgrade includes 295**
- Seat Slider
  - 28" Heavy base
  - 70mm Heavy duty casters
  - 9 Ply seat shell
  - Dual Density Foam
  - Heavy-duty back bar


\*If your customer requires an even lower seat height, order our standard base0013 with a 65mm cylinder for a seat range of 18.375" to 20.875"; or order our standard base0013 with a 70mm cylinder for a seat range of 18.875" to 21.375"

\*24/7 Upgrade option available on 05 control and NS models ONLY.

# EVOLVE 1500

## STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013 and CAL 133
- 27" high hub base
- 60mm dual casters
- Black mesh seat
- Defined contoured lumbar area
- Height adjustable, black mesh back
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/2" to 21 3/4" (with 1101 cylinder)\*



Model 1555

**OPTIONS** See pages 121-122 for additional options



No multi-shift or bariatric models  
Mesh seat not available without seat slider

### 1555 Task

**Arm** Standard  
black mesh

#### MEDIUM HIGH BACK

Multi-function 05 control, ratchet back, seat slider

Armless 653

### 1558 Task

**Arm** Standard  
black mesh

#### MEDIUM HIGH BACK

Ratchet back, multi-function 08-control w/seat slider, knee tilt

Armless 749

### 15514 Task

**Arm** Standard  
black mesh

#### MEDIUM HIGH BACK

Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

Armless 653

### NS155

**Arm** Standard  
black mesh

#### MEDIUM HIGH BACK

Enhanced task 07 control and ratchet back w/ seat slider

Armless 628



**01A** Fold away arm with vertical and horizontal adjustment and standard 10 pad  
**199**



**08A** 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad  
**128**



**23A** Forward angled vertically and horizontally adjustable arm with 10 pad  
**125**



**25A** Vertical and horizontal adjustable "T" arm with standard 10 pad  
**110**



**37A** 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed.  
**153**

## SEAT SIZE OPTIONS

|   | LIST PRICE |
|---|------------|
| <b>165</b> Small Mesh Seat<br>20 w x 18 d     | N/C        |
| <b>167</b> Large Mesh Seat<br>21 1/2 w x 20 d | N/C        |

|                           | LIST PRICE |
|---------------------------|------------|
| Mesh Color Back           | 50         |
| Mesh Color Seat           | 50         |
| <b>SPECIFY MESH COLOR</b> |            |
| White                     | M01        |
| Silver                    | M02        |
| Charcoal                  | M03        |
| Red                       | M04        |
| Azure/Blue                | M05        |
| Cappucino/Tan             | M06        |

## POPULAR OPTIONS



- #70P Extra thick, soft arm pad **15**
- #60L Air Lumbar **135**
- #65HR Articulating headrest **382**

\*If your customer requires an even lower seat height, order our standard base0013 with a 65mm cylinder for a seat range of 17.25" to 20.375"; or order our standard base0013 with a 70mm cylinder for a seat range of 18.875" to 21.375".

# EVOLVE 1500

## STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013 and CAL 133
- 27" high hub base
- 60mm dual casters
- Black mesh seat
- Defined contoured lumbar area
- Height adjustable, black mesh back
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/2" to 21 3/4" (with 1101 cylinder)\*



Model 1565

**OPTIONS** See pages 121-122 for additional options



No multi-shift or bariatric models  
Mesh seat not available without seat slider

### 1565 Task

**Arm Standard**  
black mesh

#### MANAGERS HIGH BACK

Multi-function 05 control, ratchet back, seat slider

Armless 666

### 1568 Task

**Arm Standard**  
black mesh

#### MANAGERS HIGH BACK

Ratchet back, multi-function 08-control w/seat slider, knee tilt

Armless 762

### 15614 Task

**Arm Standard**  
black mesh

#### MANAGERS HIGH BACK

Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

Armless 666

### NS156

**Arm Standard**  
black mesh

#### MANAGERS HIGH BACK

Enhanced task 07 control and ratchet back w/ seat slider

Armless 641



**01A** Fold away arm with vertical and horizontal adjustment and standard 10 pad  
**199**



**08A** 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad  
**128**



**23A** Forward angled vertically and horizontally adjustable arm with 10 pad  
**125**



**25A** Vertical and horizontal adjustable "T" arm with standard 10 pad  
**110**



**37A** 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed.  
**153**


| SEAT SIZE OPTIONS                       | LIST PRICE |       | SPECIFY MESH COLOR | LIST PRICE |                                | POPULAR OPTIONS |                              |     |
|---|------------|-------|--------------------|------------|--------------------------------|-----------------|------------------------------|-----|
|   | Item       | Price |                    | Item       | Price                          |                 |                              |     |
| 165 Small Mesh Seat<br>20 w x 18 d      | N/C        |       | White              | M01        | #70P Extra thick, soft arm pad | 15              |                              |     |
|   | N/C        |       | Silver             | M02        |                                |                 |                              |     |
| 166 Medium Mesh Seat<br>20 w x 19 3/4 d | N/C        |       | Charcoal           | M03        |                                |                 | #60L Air Lumbar              | 135 |
|   | N/C        |       | Red                | M04        |                                |                 |                              |     |
|   |            |       | Azure/Blue         | M05        |                                |                 | #70L Air Thoracic & Thoracic | 135 |
|   |            |       | Cappucino/Tan      | M06        |                                |                 |                              |     |
|   |            |       |                    |            | #68L Air Lumbar & Thoracic     | 215             |                              |     |
|   |            |       |                    |            | #65HR Articulating headrest    | 382             |                              |     |

\*If your customer requires an even lower seat height, order our standard base0013 with a 65mm cylinder for a seat range of 17.25" to 20.375"; or order our standard base0013 with a 70mm cylinder for a seat range of 18.875" to 21.375".

# EVOLVE 1500

## STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 27" high hub base
- 60mm dual casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, black mesh back
- Standard seat height approx. range for model pictured (floor to top of seat): 16 3/4" to 20" (with 1101 cylinder)\*



Model 151

## OPTIONS

No options or substitutions are available

No multi-shift options or Bariatric models



### 151 Conference

#### MEDIUM BACK

Ratchet back, swivel tilt 07-control with 09A reverse "C" arm

| Arm | B   | C<br>(com) | D   | E<br>(col) | F   | G   | L   |
|-----|-----|------------|-----|------------|-----|-----|-----|
| 09A | 648 | 663        | 681 | 707        | 746 | 804 | 900 |



### 151CH Conference

#### MEDIUM BACK


Ratchet back, swivel tilt 07-control with polished aluminum arms and base

| Arm | B   | C<br>(com) | D   | E<br>(col) | F   | G   | L   |
|-----|-----|------------|-----|------------|-----|-----|-----|
| 30A | 741 | 756        | 774 | 800        | 839 | 897 | 993 |



## STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 27" high hub base
- 60mm dual casters
- Defined contoured lumbar area
- 1900 comfort molded foam tractor seat
- Height adjustable, upholstered back
- Standard seat height approx. range for model pictured (floor to top of seat): 16 3/4" to 20" (with 1101 cylinder)\*



Model 152CH

## OPTIONS

No options or substitutions are available

No multi-shift options or Bariatric models



### 152 Conference

#### MEDIUM BACK

Ratchet back, swivel tilt 07-control with 09A reverse "C" arm

| Arm | B   | C<br>(com) | D   | E<br>(col) | F   | G    | L    |
|-----|-----|------------|-----|------------|-----|------|------|
| 09A | 768 | 791        | 824 | 869        | 930 | 1027 | 1217 |



### 152CH Conference

#### MEDIUM BACK

Ratchet back, swivel tilt 07-control with polished aluminum arms and base

| Arm | B   | C<br>(com) | D   | E<br>(col) | F    | G    | L    |
|-----|-----|------------|-----|------------|------|------|------|
| 30A | 861 | 884        | 917 | 962        | 1023 | 1120 | 1310 |




## MESH OPTIONS

|               | LIST PRICE |
|---------------|------------|
| Mesh Color    | 50         |
| SPECIFY COLOR |            |
| White         | M01        |
| Silver        | M02        |
| Charcoal      | M03        |
| Red           | M04        |
| Azure/Blue    | M05        |
| Cappucino/Tan | M06        |

# EVOLVE 1500

## STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 27" high hub base
- 60mm dual casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, black mesh back
- Standard seat height approx. range for model pictured (floor to top of seat): 16 3/4" to 20" (with 1101 cylinder)\*



Model 153

## OPTIONS

No options or substitutions are available

*No multi-shift options or Bariatric models*



### 153 Conference

#### MANAGERS HIGH BACK

Ratchet back, swivel tilt 07-control with 09A reverse "C" arm

| Arm | B | C<br>(com) | D | E<br>(col) | F | G | L |
|-----|---|------------|---|------------|---|---|---|
|-----|---|------------|---|------------|---|---|---|

|     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|
| 09A | 661 | 676 | 694 | 720 | 759 | 817 | 913 |
|-----|-----|-----|-----|-----|-----|-----|-----|



### 153CH Conference

#### MANAGERS HIGH BACK

Ratchet back, swivel tilt 07-control with polished aluminum arms and base

| Arm | B | C<br>(com) | D | E<br>(col) | F | G | L |
|-----|---|------------|---|------------|---|---|---|
|-----|---|------------|---|------------|---|---|---|

|     |     |     |     |     |     |     |      |
|-----|-----|-----|-----|-----|-----|-----|------|
| 30A | 754 | 769 | 787 | 813 | 852 | 910 | 1006 |
|-----|-----|-----|-----|-----|-----|-----|------|



## STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 27" high hub base
- 60mm dual casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, upholstered back
- Standard seat height approx. range for model pictured (floor to top of seat): 16 3/4" to 20" (with 1101 cylinder)\*



Model 154CH

## OPTIONS

No options or substitutions are available

*No multi-shift options or Bariatric models*



### 154 Conference

#### MANAGERS HIGH BACK

Ratchet back, swivel tilt 07-control with 09A reverse "C" arm

| Arm | B | C<br>(com) | D | E<br>(col) | F | G | L |
|-----|---|------------|---|------------|---|---|---|
|-----|---|------------|---|------------|---|---|---|

|     |     |     |     |     |     |      |      |
|-----|-----|-----|-----|-----|-----|------|------|
| 09A | 781 | 804 | 837 | 882 | 943 | 1040 | 1230 |
|-----|-----|-----|-----|-----|-----|------|------|



### 154 CH Conference

#### MANAGERS HIGH BACK

Ratchet back, swivel tilt 07-control with polished aluminum arms and base

| Arm | B | C<br>(com) | D | E<br>(col) | F | G | L |
|-----|---|------------|---|------------|---|---|---|
|-----|---|------------|---|------------|---|---|---|

|     |     |     |     |     |      |      |      |
|-----|-----|-----|-----|-----|------|------|------|
| 30A | 874 | 897 | 930 | 975 | 1036 | 1133 | 1323 |
|-----|-----|-----|-----|-----|------|------|------|



## MESH OPTIONS

|               | LIST PRICE |
|---------------|------------|
| Mesh Color    | 50         |
| SPECIFY COLOR |            |
| White         | M01        |
| Silver        | M02        |
| Charcoal      | M03        |
| Red           | M04        |
| Azure/Blue    | M05        |
| Cappucino/Tan | M06        |