#### ADJUSTABLE KEYBOARD PLATFORMS

# Add comfort to increase productivity

Adjustable keyboard platforms are a great way to provide maximum ergonomic benefits and greater levels of comfort for any workforce. When used in conjunction with fixed height worksurfaces, or with height adjustable worksurfaces featuring limited ranges of adjustability, an adjustable keyboard platform can improve the overall usability and ergonomic functionality of the entire workcenter.

Workrite offers a broad selection of pre-configured keyboard platform systems as well as individual platforms and arms that can be purchased separately, providing multiple solutions for virtually any application.

### The right products for the work space

Knowing where the user will work is the key to ensuring proper fit and installation. Workrite offers adjustable keyboard solutions for every typical work space configuration. The symbols below identify the most common configurations found in today's modern workplaces. Look for them throughout this section of the specification guide to ensure that you are selecting the right product for each specific application.









Straightaway

**Diagonal Corner** 

**Curved Corner** 

90º Converted to Diagonal

#### Mouse in comfort

All Workrite palm supports and wrist rests feature our memory foam core, providing the comfort of gel and the durability of foam. Our memory foam core will soften in reaction to body heat and will mold itself to the user, resulting in maximum keyboarding comfort through the elimination of pressure points and fatigue.

Mouse position is also an important element in providing maximum comfort and increasing productivity. For the most versatile solution, select a platform with an integrated ambidextrous mousing surface such as those featured in our Glide 2 and Banana-Board patented keyboard systems.

The following positions are recommended based on the type of work being performed; however, the users' personal preferences as well as their physical attributes and abilities will also need to be taken into consideration.







Mouse-Forward™


Mouse-Over

In-line Mousing

### Handed mousing surfaces

For the most versatile solution, select a platform with an integrated ambidextrous mousing surface. Two popular choices include the Banana-Board, with its sliding mouse surface or Glide 2, with its highly adjustable mouse platform.

Our reversible platforms are designed to be installed for right or left hand users and can be reversed using simple tools as needed in the future. This platform type is also ideal for those who prefer a continuous platform with no moving parts and extreme rigidity for both mouse and keyboard support.








A mouse platform that converts from

right to left handed mousing with no

tools required



Manual left/right mousing surface A mouse platform that converts from right to left handed mousing with the use of tools

www.workriteergo.com 800.959.9675 49 SECTION 2.0


# ADJUSTABLE KEYBOARD PLATFORM SYSTEMS COMPARISON

|   | Glide 2  | Banana-Board                                 | Revo  | Advantage                                    | Standard                                  | Fundamentals                              | Fundamentals                           |
|---|--|--|---|--|---|---|--|
|   |  |  |   |  |   |   |  |
| MODELS  |  | - U  |   |  | $\overline{}$                             |   | $\overline{}$                          |
| MODELS  Mousing Surface(s)                              | 1  | 1  | 1   | 1 or 2                                       | 1   | 1   | 1                                      |
|   | Ultra-Thin   | Molded                                       | Ultra-Thin  | Ultra-Thin                                   | Classic                                   | Classic                                   | Molded                                 |
| Keyboard Platform Material                              | Phenolic   | Plastic                                      | Phenolic  | Phenolic                                     | Melamine                                  | Melamine                                  | Plastic                                |
| Mouse Positions   | Mouse-<br>Forward,<br>In-Line Mouse,<br>Mouse-Back,<br>Right & Left<br>Handed,<br>Mouse-Center,<br>Mouse-Below | Mouse-<br>Forward,<br>Right & Left<br>Handed | Mouse-<br>Forward,<br>Mouse-Over,<br>Right & Left<br>Handed | Mouse-<br>Forward,<br>Right & Left<br>Handed | In-Line Mouse,<br>Right or Left<br>Handed | In-Line Mouse,<br>Right or Left<br>Handed | Mouse-Over,<br>Right or Left<br>Handed |
| Arm Options   | Pinnacle 2   | Pinnacle 2                                   | Pinnacle 2  | Pinnacle<br>2-Value                          | Pinnacle<br>2-Value                       | Fundamental<br>AKP Arm                    | Pinnacle<br>2-Value                    |
| ADJUSTABILITY   |  |  |   |  |   |   |  |
| Minimum Height Range                                    | 0" to -6"  | 0" to -6"                                    | 0" to -6"   | 0" to -6"                                    | 0" to -6"                                 | 0" to -6"                                 | 0" to -6"                              |
| Minimum Tilt Range                                      | -15°/+10°  | -15°/+10°                                    | -15°/+10°   | -15°/+10°                                    | -15°/+10°                                 | -15°/+10°                                 | -15°/+10°                              |
| Swivel  | 360°   | 360°   | 360°  | 360°   | 360°                                      | 360°                                      | 360°                                   |
| Convertible Left/Right Handed                           | Built in   | Built in                                     | Built in  | Built in (Dual),<br>With tools<br>(Single)   | Built in                                  | Built in                                  | Built in                               |
| OPTIONS   |  |  |   |  |   |   |  |
| Colors  | Charcoal,<br>Cool Gray   | Black  | Black   | Black  | Black                                     | Black                                     | Black                                  |
| Track Lengths   | 17", 22"   | 17", 22"                                     | 17", 22"  | 17", 22"                                     | 17", 22"                                  | 17", 22"                                  | 17", 22"                               |
| Keyboard Palm Support Material                          | Memory Foam  | Memory Foam                                  | Memory Foam   | Memory Foam                                  | Memory Foam                               | Memory Foam                               | Memory Foam                            |
| Optional Mouse Palm Support                             | Memory Foam  | Memory Foam                                  | Memory Foam   | Memory Foam                                  | Memory Foam                               | n/a                                       | n/a                                    |
| Integrated Cable Management                             | •  | •  | •   | •  |   |   |  |
| Integrated Document Holder                              | •  | •  | •   | •  |   |   |  |
| Mouse Trap™   | •  | •  | •   | •  | •   |   |  |
| Positive Tilt Lock Out Option                           | •  | •  | •   | •  | •   |   | •                                      |
| WARRANTY (1)  | Lifetime   | Lifetime                                     | Lifetime  | Lifetime                                     | Lifetime                                  | Lifetime                                  | Lifetime                               |
| ENVIRONMENTAL  Keyboard Phenolic  GREENGUARD® Certified | •  |  | •   | •  |   |   |  |
| AVAILABLE ON GSA  | •  | •  | •   | •  | •   | •   | •                                      |
|   | \$484-\$498  | \$474-\$488                                  | \$448-\$462   | \$344-\$382                                  | \$314-\$352                               | \$232-\$242                               | \$299-\$309                            |

### HOW TO CONFIGURE YOUR KEYBOARD PLATFORM SYSTEM

# Preconfigured systems, Section 2.1


Most people will benefit from a preconfigured system. Determine if an existing system will suit your needs. If not, you can create your very own solution by combining a solo arm with a solo platform.




# Individual solutions, Sections 2.2 & 2.3

# Determine the features you need


Workrite keyboard platforms include a number of thoughtful features to make typing and mousing less of a strain. Phenolic (ultra thin) vs. Melamine platform material provide rigid support for keyboards. Our Optimizer™ features built-in cord management, a document holder to keep your work front and center and our helpful mouse trap to keep your pointing device in place. LeatheRite™ memory foam palm support is standard on many of our solo keyboard platforms and mouse platform palm support is available as an option on most platforms as well.



### Select the platform, Section 2.2



### Select the arm & track, Section 2.3



www.workriteergo.com | 800.959.9675 51

SECTION 2.0

### ADJUSTABLE KEYBOARD PLATFORM FIT CHART

# **Adding Keyboard Platforms to Existing Worksurfaces**

It is necessary to determine if your keyboard platform will fit on existing worksurfaces, especially in corner situations. As expected, any of the Workrite Preconfigured Systems will fit on Workrite Height Adjustable Workcenters. When adding to existing workcenters, consult the following chart to find which platform will fit in these specific conditions. Note that in many 90° corner situations, a Corner Diagonal accessory may be required. With some "benching" situations, a Drop Down Kit or Spacers may be needed. These accessories can be found in Section 2.4.

|                     |                             |         |                             | Available |                   | Handedness               |                             |
|---------------------|-----------------------------|---------|-----------------------------|-----------|-------------------|--------------------------|-----------------------------|
| Corner only (radius | or diagonal of 12" or more) | Model # | Converts 90°<br>to Diagonal |           | Mouse-<br>Forward | Integral<br>Right & Left | Right or Left<br>Reversible |
|                     | Corner Platform             | 188     | 179CCD                      |           |                   |                          | •                           |
|                     | Split-Pad Corner            | 488     | 179CCD                      |           |                   | •                        |                             |

### Straightaway and Small Corners (radius or diagonal of 12" or more)

| Banana-Board*                      | 2180S  | 179ACD | • | • | • |   |
|------------------------------------|--------|--------|---|---|---|---|
| Microsoft* Natural*, Banana-Board* | 2181SN | 179ACD |   | • | • |   |
| Glide 2™                           | 3100   | 179CCD | • | • | • |   |
| Revo™                              | 2100FT | 179CCD | • | • | • |   |
| 17" Reversible Corner              | 317RL  | 179ACD |   | • |   | • |

### Straightaway and Wide Corners (at least 18" radius or 17" diagonal)

|  | Advantage-Dual                    | 2110D   | 179CCD | • | • | •                |  |
|--|-----------------------------------|---------|--------|---|---|------------------|--|
|  | Advantage-Single                  | 2110RL  | 179CCD | • | • | (requires tools) |  |
|  | Mouse-Under™, Microsoft® Natural® | 2110RLN | 179CCD |   | • | (requires tools) |  |

### Straightaway only

| Straightaway only |                        |       |  |   |   |   |   |
|-------------------|------------------------|-------|--|---|---|---|---|
|                   | 27" Reversible         | 385RL |  |   | • |   | • |
|                   | 25" Split-Pad Standard | 482   |  |   |   | • |   |
|                   | 27" Split-Pad Standard | 485   |  | • |   | • |   |
|                   | 25" Standard           | 182   |  |   |   | • |   |
|                   | 27" Standard           | 185   |  | • |   | • |   |
|                   | Standard with Slide    | 180\$ |  |   |   | • |   |