




Digital signage: bring the message to your audience

Boost profits and increase traffic with Ergotron digital signage mounting and mobility solutions



Mounting and Mobility Solutions for Your Entire Facility



Little effort, big impact. That's the value from Ergotron.

Whether communicating powerful, attention-grabbing graphics or streaming video, the appeal of digital signage is in its quick and effortless ability to manipulate content in real-time to influence audience behavior. However, one of the keys to implementing a powerful message is effective positioning. This is where Ergotron can help. Our innovative line of display mounts and mobile workstations move content to the audience, creating a powerful impact.



Carts



Neo-Flex Mobile MediaCenter: rotate your screen for portrait/landscape viewing.



Part # (color)	Light Duty 24-190-085 (black)	Very Heavy Duty 24-191-085 (black)	Ultra Heavy Duty 24-192-085 (black)
Optional Accessories: Camera Shelf Kit 97-491-085; 660/700/800 mm Kit 97-489; VESA CPU Kit 97-527-009			
Typical LCD Size	27–55"	37–60"	50–70"
Weight Capacity	25–50 lbs (11.4–22.7 kg) 50–90 lbs (22.7–40.9 kg) 90–120 lbs (40.9–54.4 kg) Main shelf 30 lbs (13.6 kg); cable shelf 5 lbs (2.2 kg); if MMC Camera Shelf is added, display weight capacity is diminished by 3 lbs (1.4 kg); if 660/700/800 mm Accessory Kit is added the display weight capacity is diminished by 5 lbs (2.2 kg)		
Lift	20" (51 cm)	20" (51 cm)	20" (51 cm)
Tilt	20°	20°	20°
Rotation	90° Portrait to landscape screen rotation. See website for details	90° Portrait to landscape screen rotation. See website for details	90° Portrait to landscape screen rotation. See website for details
VESA	MIS-D/E/F See website for details	MIS-D/F See website for details	MIS-D/F See website for details




Glide Wall Mount LD-X



Glide Wall Mount HD



Glide Wall Mount VHD




TM Tilting Wall Mount




WM Low Profile Wall Mount

Part # (color)	61-113-085 (black)	61-061-085 (black)	61-128-085 (black)	61-143-003 (silver) XL 61-142-003 (silver)	60-604-003 (silver) XL 60-602-003 (silver)
Typical LCD Size	27–42"	30–55"	≥ 46"	≥ 32" XL ≥ 42"	32–65" XL 42–65"
Weight Capacity	12–30 lbs (5,4–13,6 kg)	20–40 lbs (9–18 kg)	45–70 lbs (20,4–32 kg)	≤ 175 lbs (79,4 kg)	≤ 175 lbs (79,4 kg)
Tilt	10°	10°	10°	20°	—
Lift	10" (25,4 cm)	18" (46 cm)	16" (40,6 cm)	—	—
VESA	MIS-D/E/F See website for details	MIS-E/F See website for details	MIS-D/E/F See website for details	MIS-D/E/F See website for details	MIS-D/E/F See website for details
Depth	4.5" (11,4 cm)	2" (5 cm)	2.7" (6,9 cm)	3.5" (8,9 cm)	1.25" (3,2 cm)



SIM90 Signage Integration Mount



Neo-Flex Tilting Wall Mount VHD



Neo-Flex Tilting Wall Mount UHD



Neo-Flex Wall Mount VHD



Neo-Flex Wall Mount UHD

Part # (color)	60-600-009 (black)	60-613 (black)	60-612 (black)	60-615 (black)	60-614 (black)
Typical LCD Size	—	23–42"	37–63"	23–42"	37–63"
Weight Capacity	≤ 115 lbs (52,2 kg)	≤ 80 lbs (36,3 kg)	≤ 175 lbs (79,4 kg)	≤ 80 lbs (36,3 kg)	≤ 175 lbs (79,4 kg)
Tilt	15°	20°	15°	—	—
VESA	MIS-F See website for details	100 x 100 to 400 x 300	100 x 100 to 600 x 400	100 x 100 to 400 x 300	100 x 100 to 600 x 400
Depth	4.8" (12,1 cm)	1.9" (4,9 cm)	2.7" (6,9 cm)	1.6" (4,1 cm)	1.7" (4,4 cm)

Our products set new standards for ease of installation and are readily adapted to the unique conditions of any location.



See the "Bracketology Simplified" movie movies.ergotron.com



Interactive Arm LD



Interactive Arm HD



Interactive Arm VHD

Part # (color)	45-361-026 (polished aluminum)	45-296-026 (polished aluminum)	45-304-026 (polished aluminum)
Typical LCD Size	≤ 42"	30–60"	30–60+"
Weight Capacity	7–25 lbs (3,2–11,3 kg)	18–40 lbs (8,2–18,2 kg)	35–70 lbs (15,9–31,8 kg)
Tilt	↑ 70° / ↓ 5°	↑ 10° / ↓ 15°	↑ 5° / ↓ 15°
Pan	180°	180°	180°
VESA	75 x 75, 100 x 100, 200 x 100, 200 x 200	200 x 100 to 600 x 400	200 x 100 to 600 x 400
Depth	4.5" (11 cm)	5.5" (14 cm)	6.5" (16,5 cm)
Extension	17" (43 cm)	24" (61 cm)	28" (71 cm)

LCD SIZE IS APPROXIMATION. DIMENSION IS DIAGONAL MEASUREMENT OF SCREEN. LCD SIZE MAY BE EXCEEDED AS LONG AS SCREEN WEIGHT DOES NOT EXCEED MAXIMUM WEIGHT CAPACITY OF THE MOUNT



LX HD Wall Mount Swing Arm



LX HD Wall Mount Pivot



Neo-Flex Cantilever VHD



Neo-Flex Cantilever UHD



Neo-Flex Wall Mount ULD

Part # (color)	45-268-026 (polished aluminum)	45-269-009 (black)	45-385-223 (black)	61-132-223 (black)	97-589 (black)
Typical LCD Size	≤ 42"	≤ 42"	23–42"	37–52"	13–32"
Weight Capacity	≤ 50 lbs (22,7 kg) See website for details	≤ 50 lbs (22,7 kg)	≤ 80 lbs (36,3 kg)	≤ 125 lbs (56,7 kg)	≤ 40 lbs (18,1 kg)
Tilt	20°	20°	20°	20°	—
Pan	360°	40°	180°+	180°+	—
Rotation	360° Portrait to landscape screen rotation	360° Portrait to landscape screen rotation	—	—	—
VESA	MIS-D/E/F See website for details	MIS-D/E/F See website for details	200 x 100 to 600 x 400	100 x 100 to 600 x 400	75 x 75 to 200 x 200
Depth	Folds to 3.7" (9,1 cm)	3.7" (9,1 cm)	3.3" (8,4 cm)	5.5" (14 cm)	0.5" (1,3 cm)
Extension	13" (33 cm)	—	15.6" (39,7 cm)	22" (55,9 cm)	—









With versatility and flexibility built right in, these professional grade ceiling mounts are ideal for any ceiling application – whether TV viewing or digital signage.





Neo-Flex Ceiling Mount



Neo-Flex Projector Ceiling Mount

Part # (color)	60-842-223 (black)	60-623 (black)
 Typical LCD Size	32–65"	—
 Weight Capacity	≤ 125 lbs (56,7 kg)	Small to large projectors ≤ 40 lbs (18,1 kg)
 Tilt	+ 20°	30°
 Pan	—	30°
 Rotation	—	360°
 VESA	200 x 100 – 660 x 450	—

+ Finance + Healthcare + Hospitality + Automotive + Enterprise + Transportation + Education + Retail + Restaurants + Offices + Public Venues + Events + Libraries +



© 2014 Ergotron, Inc. rev. 12/17/2014/EA Literature made in US Content is subject to change without notification

Americas Sales and Corporate Headquarters

St. Paul, MN USA
(800) 888-8458
+1-651-681-7600
www.ergotron.com
sales@ergotron.com

EMEA Sales

Amersfoort, The Netherlands
+31 33 45 45 600
www.ergotron.com
info.eu@ergotron.com

APAC Sales

Tokyo, Japan
www.ergotron.com
apaccustomerservice@ergotron.com

Worldwide OEM Sales

www.ergotron.com
info.oem@ergotron.com

