



VERSATILE & EFFICIENT

Ciglio 2 is available in three popular lengths that can be combined to create the ideal under cabinet lighting system. Ciglio 2 fixtures can be daisy chained utilizing Workrite's jumper cable options to create the perfect solution for virtually any design configuration. The optional master switch and occupancy sensor can be added to any fixture for even more customized lighting control.

Ciglio 2 delivers more than 100 lumens per watt while consuming less power than traditional T12 florescent fixtures. Ciglio 2 is UL and Energy Star certified and comes with a 5 year warranty and can be relied upon to provide years of dependable, efficient lighting.



Adaptable & flexible with three fixture sizes and two jumper cable lengths to choose from.




Optional plug-in infrared occupancy sensor for energy savings.

CIGLIO 2™ LED UNDER-CABINET LIGHT

Ciglio 2 LED Under-Cabinet Light

Fixture




- Series or individual daisy chain control
- Energy saving occupancy sensor (optional)
 - Turns light off after 15 minutes of inactivity and instantly back on when activity is detected
- Includes Installation/Mounting Kit and Power Adaptor Cable
- Easy to operate touch sensitive switch
- 5 year warranty (fixture)
- Available in silver
- Requires Ciglio 2 Transformer, sold separately

Length	Model #	Weight	US \$ List	Quick Ship
16"	CIG2-UCL-16-S	3	\$175	●
28"	CIG2-UCL-28-S	4	\$275	●
38"	CIG2-UCL-38-S	5	\$375	●



Dimensions

Lengths




Daisy Chain Configuration Examples

Supports up to 80" of actual fixture length

16"	28"	38"	Maximum fixtures per daisy chain
5			5
	3		3
		2	2
4	1		5
3		1	4
2	1	1	4
	2	1	3
1		2	3
2	2		4

Accessories


Ciglio 2 Transformer



- One required per Ciglio 2 configuration
- 65 W Transformer includes:
 - 24 V, 2.7 A, Class 2 transformer: three pronged on 4 foot cord connects to 5.4" x 2.3" x 1.33" transformer
 - 5' 11" foot cord and barrel connector plug to fixture
 - Transformer rated for input ranging from 100 VAC to 240 VAC

Model #	Weight	US \$ List	Quick Ship
TR-65242700-A-RF5.5	2	\$65	


Ciglio 2 Master Switch & Occupancy Sensor



- Optional for proximity sensing or as a Daisy Chain master switch and dimmer
- Use it to turn light on or off and to adjust brightness while maximizing energy savings
- Automatically turns the light off after 15 minutes when the workspace is not in use
- Use the "touch strip" to turn lights on and off and to adjust brightness
- Install the master control to ensure occupant is within sensor range
- Dimensions: 5" W x .625" D x 1.4" H

CIG2-MS-OCC-S	1	\$75	●
---------------	---	------	---

Occupancy Sensor Range and Field of View



Ciglio 2 Jumper Cables




- Require for Daisy Chain interconnect between fixtures
- Available in two cable lengths

Length	Model #	Weight	US \$ List	Quick Ship
12"	CIG2-CABLE-12-B	1	\$14	
24"	CIG2-CABLE-24-B	1	\$19	

Parts


Replacement Ciglio 2 Power Adaptor Cable



- Adapts cable from transformer into four pin Molex connector

7"	CIG2-CABLE-PWR	1	\$5	
----	----------------	---	-----	--

Replacement Ciglio 2 Installation/Mounting Kit



- Replacement or additional mount kit for quick installation on metal or wooden cabinets
- Kit Includes:
 - Three 30° rotation mounts for wood or metal cabinets and In-line coupler
 - Ciglio 2 interconnect Molex

CIG2-MT-IC	1	\$49	●
------------	---	------	---

CIGLIO 2™ LED UNDER-CABINET LIGHT


Specifications

Ciglio 2, 16" Fixture

- Foot candle power (@ 18"): **136 fc**
- Light output (lumens): **828 lm**
- Power consumption (wattage): **8.1 W**
- Lumens per watt: **102 lm/W**
- Photometric performance: **See chart**
- Light color temperature (CCT): **3100 K**
- Color Rendering Index (CRI): **83 CRI**
- Fixture dimensions: **W: 16" x H: 0.6" x D: 1.4"**
- Recommended installation: **24" cabinets**


Photometrics

Source at 18"




Ciglio 2, 28" Fixture

- Foot candle power (@ 18"): **222 fc**
- Light output (lumens): **1734 lm**
- Power consumption (wattage): **16.2 W**
- Lumens per watt: **107 lm/W**
- Photometric performance: **See chart**
- Light color temperature (CCT): **3100 K**
- Color Rendering Index (CRI): **83 CRI**
- Fixture dimensions: **W: 28" x H: 0.6" x D: 1.4"**
- Recommended installation: **32" cabinets**





Ciglio 2, 38" Fixture

- Foot candle power (@ 18"): **268 fc**
- Light output (lumens): **2500 lm**
- Power consumption (wattage): **22.7 W**
- Lumens per watt: **110 lm/W**
- Photometric performance: **See chart**
- Light color temperature (CCT): **3100 K**
- Color Rendering Index (CRI): **83 CRI**
- Fixture dimensions: **W: 38" x H: 0.6" x D: 1.4"**
- Recommended installation: **48" cabinets**



CIGLIO 2™ LED UNDER-CABINET LIGHT

PRODUCT COMPARISON: UNDER-CABINET TASK LIGHTING

	Ciglio 2 			Dazz—SL 			
FIXTURE/MODEL SIZE	16"	28"	38"	24"	36"	48"	60"
US LIST PRICE	\$175	\$275	\$375	\$110	\$114	\$125	\$144
LIGHT OUTPUT							
Foot Candle Power (@ 18")	136 fc	222 fc	268 fc	per bulb	per bulb	per bulb	per bulb
Peak Lumen Output	828 lm	1734 lm	2500 lm	~540 lm	~1256 lm	~1953 lm	~2697 lm
Color Temperature	3100 K	3100 K	3100 K	4200 K	4100 K	4100 K	4100 K
CRI	83	83	83	85	85	85	85
Dimming	●	●	●				
ENERGY EFFICIENCY							
System Power Consumption	8.1 W	16.2 W	22.7 W	12 W	16.2 W	21 W	28 W
Lumens per Watt	102 lm/W	107 lm/W	110 lm/W	45 lm/W	89 lm/W	93 lm/W	96 lm/W
Optional Occupancy Sensor	●	●	●				
L70 Estimated Life	50,000+ hr.	50,000+ hr.	50,000+ hr.	50,000+ hr.	50,000+ hr.	50,000+ hr.	50,000+ hr.
DAISY CHAIN SYSTEM OPTIONS							
Max # of Same Size Fixtures in Daisy Chain	5	3	2	5	3	2	2
Jumper Cable Length Options	2	2	2	1	1	1	1
Supports Mixed Size Daisy Chain Configurations	●	●	●	●	●	●	●
FIXTURE HOUSING							
Control/ Switch Type	Touch strip	Touch strip	Touch strip	Rocker switch	Rocker switch	Rocker switch	Rocker switch
Number of LED's In Fixture	42	83	126				
Metal Installation Mounts	Magnetic	Magnetic	Magnetic	Slide bars	Slide bars	Slide bars	Slide bars
Wood Installation Mounts	Screw	Screw	Screw	Screw (not included)	Screw (not included)	Screw (not included)	Screw (not included)
30° Rotation Mount	●	●	●				
Recommended Cabinet Installation Size	24"	36"	48"	24"	36"	48"	60"
Colors	Silver	Silver	Silver	Black	Black	Black	Black
WARRANTY							
Fixture	5 years	5 years	5 years	5 years	5 years	5 years	5 years
Transformer or Ballast	3 year	3 year	3 year	1 year	1 year	1 year	1 year