

BIG REACH, BIGGER PERFORMANCE

The Astra 3 Double Arm was designed to provide outstanding reach in a small footprint. With nearly 3 feet of extension from the base, the Astra 3 Double Arm puts illumination exactly where it is needed. Clustered high-output, high CRI LEDs provide a highly efficient white light with no shadowing effect.

The intuitive touch button programmable control enables the user to return to the same light level that was last used and a simple double touch of the button adjusts the Astra 3 to maximum brightness instantaneously. Astra 3 can also be programmed for auto shut off after 5 or 10 hours of use and the plug in occupancy sensor maximizes energy savings by automatically turning off the light when the workspace is not in use.



Touch button design with auto shut-off programming and brightness memory.




Energy saving Occupancy Sensor turns on with movement and off after 15 minutes of inactivity.

ASTRA 3 DOUBLE ARM LED DESK LIGHT

Astra 3 Double Arm Desk Light


Specifications:

- 34.9" Reach from base/mount
- Multiple base options
- Bright white light output: 3100K, 93 CRI
- Included occupancy sensor
- Continuous dimming from 100% – 5%
- Touch button on/off & dimming controls
- UL Certified, Energy Star Compliant Luminaires V1.2
- 50,000+ hour life LED's (L70 rating)
- 5 year fixture warranty
- Available in silver
- 12 W transformer included:
 - 24 V, 0.5 A, Class 2 transformer: 3" × 1.125" × 1.75"
 - Two prong plug on 6 foot cord, connects to 3 foot cord attached to fixture




Dimensions

Horizontal and vertical reach




Photometrics


Source at 15"



Fixture pivot & rotation



Shade pivot




Shade rotation



ASTRA 3 DOUBLE ARM LED DESK LIGHT

Astra 3 Double Arm Desk Light

Double Arm Luminaire




- Foot candle power (@ 15"): **157 fc**
- Light output (lumens): **384 lm**
- Power consumption (wattage): **5.7 W**
- Lumens per watt: **67 lm/W**
- Photometric performance: **See chart on previous page**
- Light color temperature (CCT): **3100 K**
- Color Rendering Index (CRI): **93 CRI**
- Includes energy saving Occupancy Sensor

Model #	Weight	US \$ List	CAN \$ List	Quick Ship
AST3-DA-WOB-S	2	\$239	\$306	●

Base Options


Table Base



- Sturdy yet movable, this 4 pound table base lets you put your light exactly where you want it
- Provides 90° of rotation at the base
- Dimensions: 7"W × 7.5"D × .3"H

Model #	Weight	US \$ List	CAN \$ List	Quick Ship
LTG-TB-TD-S	3	\$45	\$58	●


Two Piece C-Clamp Mount



- The sturdiest and most compact mounting solution
- Two piece design provides easy installation in space constrained environments
- Provides 360° of rotation at the base
- Attaches to surfaces .25" – 2.5" thick
- Dimensions: 2"W × 1.75"D × 4.5" H

LTG-CCB-TP-S	1	\$22	\$28	
--------------	---	------	------	--

Tool Bar, & Slatwall Mount




- Add some height to your light and conserve desk space by mounting to a Workrite Tool Bar
- Adjustable clamp design is also compatible with any 90° edge .5" – 1.75" Slatwall system.
- Provides 360° of rotation at the base
- Dimensions: 2.5"W × 2"D × 2.8"H

LTG-TSB-ADJ-S	1	\$35	\$45	
---------------	---	------	------	--

Accessories & Parts


Replacement Occupancy Sensor





- Maximize energy savings with a passive infrared Occupancy Sensor
- Automatically turns your light off after 15 minutes of inactivity and back on once motion is detected
- 360° swivel design allows you to direct the sensor in the optimal sensing area
- Dimensions: .75"W × .5"D × 2" H

LTG-OCC-SWVL-S	1	\$55	\$70	●
----------------	---	------	------	---


Height & width



Range & field of view



Replacement Astra Transformer







- 12 W transformer
- 24 V, 0.5 A, Class 2 transformer: 3" × 1.125" × 1.75"
- Type A, two prong plug on 6 foot cord

TR-12240500-A-SF3.5	1	\$22	\$28	
---------------------	---	------	------	--

ASTRA 3 DOUBLE ARM LED DESK LIGHT

PRODUCT COMPARISON: DESKTOP TASK LIGHTING

				
CONFIGURATION	Double Arm	Single Arm	Single Arm	Single Arm
US LIST PRICE	\$239 + base	\$199 + base	\$229	\$349
CANADA LIST PRICE	\$306 + base	\$255 + base	\$294	\$447
LIGHT OUTPUT				
Foot Candle Power (@ 14.5")	157 fc	157 fc	78 fc	108 fc
Peak Lumen Output	384 lm	384 lm	184 lm	442 lm
Color Temperature	3100 K	3100 K	3200 K	3900 K
CRI	93	93	81	94
Dimming	Continuous down to 5%	Continuous down to 5%	Continuous down to 15%	Two step
ENERGY EFFICIENCY				
System Power Consumption	5.7 W	5.7 W	3.4 W	13.7 W
Lumens per Watt	67 lm/W	67 lm/W	54 lm/W	32 lm/W
PIR Occupancy Sensor Option	●	●		
Programmable Auto Shutoff	●	●		
L70 Estimated Life	50,000+ hours	50,000+ hours	40,000+ hours	30,000+ hours
FIXTURE HOUSING				
Reach	34.9"	19.8"	14.5"	10.5"
Shade Rotation	270°	270°	360°	
Shade Tilt/Pivot	220°	220°		
User Controls/ Switch Type	Programmable touch button	Programmable touch button	Touch button	Touch button
Number of LED's In Fixture	7	7	21	One OLED panel
MOUNTING OPTIONS				
Table Base	●	●	●	●
Two Piece C-Clamp Mount	●	●		
Tool Bar/Slatwall Mount	●	●		
Available Fixture Colors	Silver	Silver	Silver	Silver
WARRANTY				
Fixture	5 years	5 years	5 years	5 years
Transformer	3 year	3 year	1 year	3 year