



Engineered to support movement and improve workflow, eFloat Quattro blends ergonomic functionality with a clean, modern aesthetic. Unlike conventional two-leg sit/stand desks, eFloat Quattro features a sculpted four-leg frame that brings a refined, architectural quality to the workspace—paired with quiet motors, anti-collision sensors, and programmable height settings for seamless daily use. Premium, sustainable worksurface options and a built-in cable clip ensure a clutter-free setup. Designed with both form and performance in mind, eFloat Quattro delivers a workspace that prioritizes health, comfort, and timeless design.

Sustainability

BIFMA LEVEL® 3

Warranty

10 Years

Features

- Unlike most two-leg sit/stand desks, eFloat Quattro's refined four-leg frame removes the bulky understructure—offering clean lines, greater stability, and a furniture-first presence.
- Thoughtfully designed to maximize usable surface space, the Smart Channel* positions tools like monitor arms and task lights ergonomically, while neatly routing cables and wires.
- Integrated into the worksurface, the digital hand switch allows users to adjust height with a single touch and includes two programmable memory presets.
- Worksurface options include a variety of sizes, colors, and materials, ranging from solid wood to powder-coated MDF finishes.
- Matching the desk frame color, the Vertical Cable Clip neatly conceals and secures up to two cords** along the height of the desk's leg.
- Designed with sustainability in mind, eFloat Quattro features PVC-free cables, and powder-coated MDF surfaces are formaldehyde-free—prioritizing safer, low-emission materials.
- Designed exclusively for eFloat Quattro, the optional eFloat Quattro Cable Manager is a lightweight, basket-style system that organizes cables and power strips beneath the work surface.

*Smart Channel option only available with Powder-Coated MDF and Solid Wood surfaces.


**Fits up to two standard width (0.4 in / 10.7 mm diameter) cables.

Material and Color Options

Worksurface

Powder-Coated MDF*

Powder-coat finish material that is smooth, even, and resilient, resisting common wear and tear like scratches and damage from both moisture and sunlight.



Cloud White




Stone Gray



Carbon Black

Low-Sheen Laminate

Sustainable, ultra-matte surface with velvet texture, fingerprint resistance and easy repairability.



White**



Gray**



Black**

Solid Wood*

Solid wood surface featuring unique grain patterns for a one-of-a-kind aesthetic. Naturally resilient, it resists daily wear while developing character over time, adding warmth to any workspace.




White Oak



Walnut**

Textile Tabletop™ by Kvadrat Really

Upcycled cotton and wool, made without dyes, water, or toxic chemicals. Made to be eventually re-granulated and formed into new products, making the material entirely circular.




Cotton White**

Woodgrain Laminate

A practical alternative to solid wood, woodgrain laminate offers a consistent finish that's easy to clean and resistant to daily wear, ideal for busy workspaces with a refined aesthetic.




Natural Rift Oak



Continental Walnut

Frame

Powder-Coated Paint



Cloud White



Stone Gray




Carbon Black

eFloat Quattro Cable Manager Accessory

Basket style, cable management system made from chrome free leather.

Leather

Salzburg



Cloud



Concrete



Black

*Smart Channel option only available with Powder-Coated MDF and Solid Wood surfaces.


**Coming soon

Product Specifications


		Imperial	Metric
Surface Size Options (<i>Depth by Width</i>)		23 in x 46 in	584.2 mm x 1,168 mm
		23 in x 58 in	584.2 mm x 1,473 mm
		29 in x 58 in	736.6 mm x 1,473 mm
		29 in x 70 in	736.6 mm x 1,778 mm
		70 in	1,778 mm
Height Range (<i>Floor to Surface Top</i>)		26.45 in - 44 in	672 mm - 1,117 mm
Stroke Length		17.52 in	445 mm
Travel Speed		1.26 in/sec	32 mm/sec
Maximum Weight		220 lbs	100 kg
Noise Level		LpA ≥ 53 dB(A)	
Standby Power Draw		<0.5 W	
Max. Power Draw		250 W (approx.)	
Standard Duty Cycle		10%, Max. 2 min ON / 18 min OFF	
Operating Temperature		32° F - 104° F	0° C - 40° C
Power Cord Length		9 ft	2,750 mm
Rated Power		290 W	
Input		100V – 240 V AC 50/60 Hz	
Electrical Rating		120 V, 60 Hz, 600 W Max	
Underside Dimensions:	A	42.7 in / 54.7 in / 66.7 in	1,085 mm / 1,390 mm / 1,695 mm
	B	19.7 in / 30 in	500.8 mm / 25.7 mm
	C	18.2 in / 24.2 in	462.2 mm / 615.2 mm
	D	16.8 in / 22.8 in	426 mm / 579 mm
	E	1.6 in	40 mm
	F	1.6 in	40 mm

eFloat Quattro


Front View




Side View



Top View




Underside




Vertical Cable Clip


Front View



Side View




Top View



eFloat Quattro Cable Manager **sold separately*

Front View



Side View

