



Ergotron®

Neo-Flex™ Lift Stands



Highlights

- Position LCD screens for maximum ergonomic comfort—promotes wellness in any work area
- Small footprint frees up your workspace and increases your efficiency
- Integrated base rollers enable 360° rotation of the stand so you can share your views with others
- Embedded with patented motion technology, this stand enables light touch adjustments without any knobs or levers
- 13 cm (5") height adjustment ergonomically accommodates average range of users
- Easy to use—simple installation and effortless operation
- Everything is included to neatly route cables behind the stand, out of the way



Combo Lift Stand

Simply combine your notebook with an LCD display and separate keyboard and mouse to create a productive dual-display configuration. Save time by viewing multiple applications at once—eliminate toggling back and forth on a single screen. With this stand's height adjustment, tilt and rotation, you'll get desktop computing comfort combined with the portability of a laptop.

Dual LCD Lift Stand

Affordable, height-adjustable dual-monitor stand for maximum productivity and comfort. Save time by using multiple applications at once—eliminate toggling back and forth between documents and programs. Simultaneously lift LCD screens to proper height for unsurpassed ergonomic comfort.

Widescreen Lift Stand





Upgrade your widescreen display with 13 cm (5") height adjustment, tilt, pan, and portrait-to-landscape rotation for optimum viewing. Embedded with patented motion technology, this stand enables light-touch adjustments without any knobs or levers.

All-In-One Lift Stand

Add ergonomic adjustability, portability and save space with this unique all-in-one stand. The perfect accessory for space-constrained areas, it enables you to mount both a CPU and display while providing effortless height adjustment of the monitor.

Patented Constant Force (CF) lift-and-pivot motion technology—no levers or buttons
 13 cm (5") height adjustment ergonomically accommodates average range of users
 Portrait to landscape screen rotation
 Pans 360° side-to-side at base
 VESA® compliant
 Three-year warranty



<p>Neo-Flex Combo Lift Stand 33-331-057 two-tone grey</p>		<ul style="list-style-type: none"> • Meets tip test requirements of UL Specification 1678 • Monitor: <ul style="list-style-type: none"> 30° up/down tilt 8° inward offset angle for optimum parabolic viewing • Flexible design enables notebook to be configured on either the right or left side • Fits most large and small notebooks, with or without docking station • Weight capacity (total) 5,4–13,6 kg (12–28 lbs) 	<p>Includes: stand, laptop platform, one sliding monitor bracket, manual, VESA-monitor mounting kit, cable ties, Velcro kit, clips, non-slip pad</p> <p>Shipping dimensions: 620 x 426 x 224 mm (24.4" x 16.8" x 8.8") Shipping weight: 11,3 kg (25 lbs) Weight capacity: total 5,4–12,7 kg (12–28 lbs); notebook 2,7–5,4 kg (6–12 lbs); monitor 2,7–7,2 kg (6–16 lbs)</p> <p>Compatible displays: almost any notebook computer, with or without port replicator, and VESA-compatible displays (up to 20" screen size)</p>
<p>Neo-Flex Dual LCD Lift Stand 33-330-057 two-tone grey</p>		<ul style="list-style-type: none"> • Meets tip test requirements of UL Specification 1678 • Install displays at 3,5° or 8,5° upward angle for optimized viewing conditions • Monitors are installed with 8° inward offset angle, creating a view parabola for better sight lines • Accommodates various LCD sizes; slide displays into place so screen edges align • Weight capacity (total) 15,4 kg (34 lbs); monitors must be equal in weight ± 0,45 kg (1 lbs) 	<p>Includes: base, crossbar, two (2) sliding monitor brackets, manual, adapter for monitors with recessed VESA mount</p> <p>Shipping dimensions: 620 x 426 x 224 mm (24.4" x 16.8" x 8.8") Shipping weight: 18.3 lbs (8.3 kg) Weight capacity: total 6,4–15,4 kg (14–34 lbs), maximum LCD outside width is 22" (55 cm)</p> <p>Compatible displays: up to 22" screen size; VESA FDMI, MIS-D, 75/100, C (hole pattern: 100 x 100 mm & 75 x 75 mm)</p>
<p>Neo-Flex Widescreen Lift Stand 33-329-057 two-tone grey</p>		<ul style="list-style-type: none"> • Meets tip test requirements of UL Specification 1678 • 30° monitor up/down tilt • Weight capacity 7,2–16,3 kg (16–36 lbs) 	<p>Includes: stand, cable zip-ties, VESA monitor mounting screws and adapter for monitors with recessed VESA mounts</p> <p>Shipping dimensions: 587 x 327 x 190 mm (23.1" x 12.9" x 7.5") Shipping weight: 7,5 kg (16.5 lbs) Weight capacity: 7,2–16,3 kg (16–36 lbs)</p> <p>Compatible displays: most 20–32" displays; VESA FDMI, MIS-D, 75/100, C (hole pattern = 100 x 100 mm & 75 x 75 mm); VESA FDMI, MIS-E, C (hole pattern = 200 x 100 mm); VESA FDMI, MIS-F, C (hole pattern = 200 x 200 mm ONLY)</p>
<p>Neo-Flex All-In-One Lift Stand 33-326-055 two-tone grey</p>		<ul style="list-style-type: none"> • Meets tip test requirements of UL Specification 1678 • 30° up/down tilt • Compatible with most* 15–24" displays and most small and ultra small form factor CPUs, notebooks or gaming consoles • Keyboard/mouse storage • Display weight capacity 2,7–7,2 kg (6–16 lbs) • Total stand weight capacity 16,7 kg (37 lbs) 	<p>Includes: stand, CPU strap, manual, VESA monitor mounting kit, cable ties</p> <p>Shipping dimensions: 710 x 580 x 396 mm (28" x 23" x 15.6") Shipping weight: 3.6 kg (8 lbs) Weight capacity: display 2,7–7,2 kg (6–16 lbs)</p> <p>Compatible displays: 15–24" LCD*; VESA FDMI, MIS-D, 75/100, C (hole pattern: 100 x 100 mm & 75 x 75 mm)</p> <p>*Some motion may be restricted on 22–24" monitors when in portrait mode</p>

Americas Sales and Corporate Headquarters

St. Paul, MN USA
 (800) 888-8458
 +1-651-681-7600
 www.ergotron.com
 sales@ergotron.com

EMEA Sales

Amersfoort, The Netherlands
 +31 33 45 45 600
 www.ergotron.com
 info.eu@ergotron.com

APAC Sales

Singapore
 www.ergotron.com
 info.apac@ergotron.com

Worldwide OEM Sales

www.ergotron.com
 info.oem@ergotron.com

